

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of  
The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

**This Page Blank (uspto)**

(51) International Patent Classification 6 : H04N 5/50, 5/445		A1	(11) International Publication Number: WO 99/04561
			(43) International Publication Date: 28 January 1999 (21.07.98)
(21) International Application Number: PCT/US98/15093			
(22) International Filing Date: 21 July 1998 (21.07.98)			
(30) Priority Data:			
60/053,330	21 July 1997 (21.07.97)	US	
60/055,237	12 August 1997 (12.08.97)	US	
60/055,761	14 August 1997 (14.08.97)	US	
60/061,119	6 October 1997 (06.10.97)	US	
60/068,375	22 December 1997 (22.12.97)	US	
60/071,811	20 January 1998 (20.01.98)	US	
60/071,812	20 January 1998 (20.01.98)	US	
60/071,882	20 January 1998 (20.01.98)	US	
(71) Applicant (for all designated States except US): E-GUIDE, INC. [US/US]; Suite 870, 135 North Los Robles Avenue, Pasadena, CA 91101 (US).			
(72) Inventors; and			
(75) Inventors/Applicants (for US only): ALEXANDER, Ron [US/US]; 209 Burlington Road, Bedford, Ma 01730 (US). DIAS, Steve [US/US]; 23 Norfolk Place, Sharon, MA 01730 (US). HANCOCK, Ken [US/US]; 64 Stillwater Drive, Nashua, NH 03062 (US). LEUNG, Elsie, Y. [US/US]; 1302 Via Del Ray, South Pasadena, CA 91030 (US). MACRAE, Douglas [US/US]; 209 Burlington			
		Road, Bedford, MA 01730 (US). NG, Art [US/US]; 209 Burlington Road, Bedford, MA 01730 (US). O'NEILL, Sean [US/US]; 209 Burlington Road, Bedford, MA 01730 (US). SCHOAFF, P., Christopher [US/US]; 1 Sweetwood Circle, Westford, MA 01886 (US). SLITTON, Jon [US/US]; 209 Burlington Road, Bedford, MA 01730 (US). WARD, Thomas, E. [US/US]; 3 Viles Street, Weston, MA 02157 (US). WESTBERG, Tom [US/US]; 209 Burlington Road, Bedford, MA 01730 (US). YUEN, Henry, C. [US/US]; P.O. Box 1159, Redondo Beach, CA 90278 (US).	
		(74) Agent: RAHN, LeRoy, T.; Christie, Parker & Hale, LLP, P.O. Box 7068, Pasadena, CA 91109-7068 (US).	
		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIP patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW). Eurasia patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM). Europe patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). OAPI patent (BF, BJ, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
		Published With international search report. Before the expiration of the time limit for amending claims and to be republished in the event of the receipt of amendments.	

The present invention is an improvement over previous electronic programming guides "EPG" in that it provides, among other things: improved viewer interaction capabilities with the EPG; improved viewer control of video recording (46) of future-scheduled programming; improved features of the EPG display and navigation (10); parental control of the EPG display; improved television program access by the viewer (22); improved product opportunities for the commercial advertiser to reach the viewer's profile (14, 16); improved products information access by the viewer (12); creation of the viewer's profile (36, 52); utilization of the viewer profile information to customize various aspects of the EPG (24); and utilization of viewer profile information to provide the customized presentation of advertising to the viewer (24).






<p>10:03PM </p> <p>PIP WINDOW</p> <p>DISPLAYING REAL TIME VIDEO FOR LAST CHANNEL VIEWED</p>	<p>O REMOVE O CHANGE</p> <p>WALKER, TEXAS RANGER: STEROIDS KILL HIGH-SCHOOL ATHLETES.</p> <p>CBS [8] 10:00PM (1h) CC </p> <p> <input type="text"/> GRID         <input type="text"/> SORT         <input checked="" type="checkbox"/> SCHEDULE         <input type="text"/> MESSAGES          </p> <p>WATCH/RECORD SCHEDULE FREQ</p> <table border="1"> <tr> <td>9/13 10:00PM</td> <td>WALKER, TEXAS RANGER</td> <td>WEEKLY</td> </tr> <tr> <td>9/13 11:00PM</td> <td>STAR TREK VOYAGER</td> <td>WEEKLY</td> </tr> <tr> <td>9/14 1:35PM</td> <td>THE CAPE</td> <td>ONCE</td> </tr> <tr> <td>9/15 8:00PM</td> <td>GROUNDHOG DAY</td> <td>ONCE</td> </tr> </table>	9/13 10:00PM	WALKER, TEXAS RANGER	WEEKLY	9/13 11:00PM	STAR TREK VOYAGER	WEEKLY	9/14 1:35PM	THE CAPE	ONCE	9/15 8:00PM	GROUNDHOG DAY	ONCE
9/13 10:00PM	WALKER, TEXAS RANGER	WEEKLY											
9/13 11:00PM	STAR TREK VOYAGER	WEEKLY											
9/14 1:35PM	THE CAPE	ONCE											
9/15 8:00PM	GROUNDHOG DAY	ONCE											
<p>AD WINDOW 1</p> <p>DISPLAYING PANEL AD </p>													
<p>AD WINDOW 2</p> <p>DISPLAYING PANEL AD </p>													

FIG.6

## SYSTEMS AND METHODS FOR DISPLAYING AND RECORDING CONTROL INTERFACES

## FIELD OF THE INVENTION

10           The present invention relates generally to television systems, and more particularly, to the display of, and recording control interface with, television programs, video, advertising information and program scheduling information.

## BACKGROUND OF THE INVENTION

15           Television viewers have historically analyzed the information provided by television program schedule guides to select television programs to watch. Historically, television program schedule guides have listed the available television programs by day of the week, time of day, channel, and program title. Historically, only hardcopy television program schedule guides were available. More recently, as illustrated by the Levine Patent, U.S. Patent No. 4,908,713, television program guides have become available in electronic form. The earliest versions of on-screen electronic program guides ("EPG") provided for the storage of program schedule information in an electronic memory connected to the television receiver and generally provided for the on-screen formatting and display of the program schedule information on the television screen. The early EPGs typically overlaid the television programming. Furthermore, viewer interaction capabilities with early EPGs was extremely limited.

20           Later EPGs provided viewer-to-EPG interaction improvements and provided Picture-In-Guide ("PIG") display of the television program simultaneous with the display of the EPG. International Application No. PCT/US95/11173 (International Publication No. WO 96/07270), the disclosure of which is incorporated by reference herein for all purposes, illustrates such an improvement.

## SUMMARY OF THE INVENTION

35           The present invention is an improvement over previous EPGs in that it provides, among other things:

- A. Improved viewer interaction capabilities with the EPG;
- B. Improved viewer control of video recording of future-scheduled programming;
- C. Improved features to the EPG display and navigation;

<b>10:03PM</b>  <b>PIP WINDOW</b>  DISPLAYING REAL TIME VIDEO FOR LAST CHANNEL VIEWED	<div style="display: flex; justify-content: space-between;"> <span>O WATCH</span> <span>O RECORD</span> </div> <div style="margin-top: 10px;"> <b>ON GOLDEN POND: COMEDY-DRAMA 1981***</b>        KATHARINE HEPBURN, PG     </div> <div style="margin-top: 10px;">       PBS [10]      8:00PM (2h 30m)     </div> <div style="margin-top: 10px; display: flex; justify-content: space-between;"> <div style="border: 1px solid black; padding: 2px;">       GRID     </div> <div style="border: 1px solid black; padding: 2px; background-color: #f0f0f0;">       SORT     </div> <div style="border: 1px solid black; padding: 2px;">       SCHEDULE     </div> <div style="border: 1px solid black; padding: 2px;">       MESSAGES     </div> </div> <div style="text-align: center; margin-top: 10px;">       MOVIES: ALL      TUES, SEPT 23     </div> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <tr> <td style="width: 10%;">PBS</td> <td style="width: 70%;">ON GOLDEN POND</td> <td style="width: 20%;">8:00PM</td> </tr> <tr> <td>TNT</td> <td>THE SEVENTH SIGN</td> <td>8:00PM</td> </tr> <tr> <td>USA</td> <td>THE ACCUSED</td> <td>8:00PM</td> </tr> <tr> <td>AMC</td> <td>YOUNG PHILADELPHIA</td> <td>9:30PM</td> </tr> <tr> <td>TNT</td> <td>ALIEN 3</td> <td>10:00PM</td> </tr> <tr> <td>USA</td> <td>CLOVER</td> <td>10:00PM</td> </tr> <tr> <td>AMC</td> <td>FOXFIRE</td> <td>11:00PM</td> </tr> <tr> <td>ABC</td> <td>AND THEN THERE...</td> <td>4:00PM</td> </tr> <tr> <td>ABC</td> <td>FALLING FROM SKY...</td> <td>9:00PM</td> </tr> </table>	PBS	ON GOLDEN POND	8:00PM	TNT	THE SEVENTH SIGN	8:00PM	USA	THE ACCUSED	8:00PM	AMC	YOUNG PHILADELPHIA	9:30PM	TNT	ALIEN 3	10:00PM	USA	CLOVER	10:00PM	AMC	FOXFIRE	11:00PM	ABC	AND THEN THERE...	4:00PM	ABC	FALLING FROM SKY...	9:00PM
PBS	ON GOLDEN POND	8:00PM																										
TNT	THE SEVENTH SIGN	8:00PM																										
USA	THE ACCUSED	8:00PM																										
AMC	YOUNG PHILADELPHIA	9:30PM																										
TNT	ALIEN 3	10:00PM																										
USA	CLOVER	10:00PM																										
AMC	FOXFIRE	11:00PM																										
ABC	AND THEN THERE...	4:00PM																										
ABC	FALLING FROM SKY...	9:00PM																										
<b>AD WINDOW 1</b>  DISPLAYING PANEL AD	<div style="border: 1px solid black; padding: 2px; text-align: center;"> <b>1</b> </div>																											
<b>AD WINDOW 2</b>  DISPLAYING PANEL AD	<div style="border: 1px solid black; padding: 2px; text-align: center;"> <b>1</b> </div>																											

FIG. 8

1

## DETAILED DESCRIPTION OF THE INVENTION

5 The disclosure of International Application WO96/07270, published on March 7, 1996 is incorporated fully herein by reference. The present invention is an improvement on the electronic program guide (EPG) disclosed therein. The apparatus disclosed in the referenced PCT application is used to generate the screen displays described below.

10 In FIG. 1 of the drawing, one embodiment of the EPG with Ad Window and Advertising Messages is shown. In FIG. 1, a television screen display 10 is shown. Display 10 could be generated by a conventional television receiver with interlaced scan lines, by a VCR, by a PC monitor with progressive scan lines, or by another other type of video display device. In the upper left hand corner of the screen is a PIP window 12. Below window 12 are Panel Ad Windows 14, and 16 ("Ad Windows"). Windows 12, 14, and 16 each typically occupy about 1/9 of the total screen area. The remainder of the screen area is typically occupied (moving from top to bottom of the screen) by an action key bar 18, a navigation bar 20, a grid guide 22 ("Grid Guide"), and an information box 24 (the "detailed information area").

15 In FIG. 2 of the drawing, one embodiment of a remote controller 26 for activating the functions of display 10 is shown. Remote controller 26 could have other keys for activating the functions of a user video device, such as a television receiver, a VCR, or a cable box. Remote control 26 has up, down, right, and left arrows keys 28, 30, 32, and 34, respectively, for controlling the movement of a cursor 36 on display 10. Cursor 36 can select, i.e., highlight, any of windows 12, 14, or 16 by pressing arrow keys 28 to 34, any of the titles and channels in Grid Guide 22 by pressing arrow keys 32 and 34, or navigation bar 20 by pressing arrow keys 32 and 34. Windows 12, 14, and 16 are highlighted by adding a border around the window or changing the color of the border, if the border is permanent. The titles and channels in Grid Guide 22 and navigation bar 20 are highlighted by changing color.

20 Highlighting of windows and/or viewer selections from the Grid Guide and/or navigation and EPG on screen display components may be accomplished in a number of other ways. For instance, the border of a selected window, or the selected Grid Guide or navigation component, can be made to appear to flash. Another way to highlight a viewer selection is to make the selected window or feature appear to become brighter than the rest of the on screen display. Yet another way to highlight a viewer selection is to blur all portions of the on screen display, except for the viewer selected component. Still another way to highlight a viewer selection is to make all portions of the on screen display, except for the viewer selected component, appear transparent. Still yet another way to highlight a viewer selection is to add animation to the selected component. When a portion of the EPG is selected, the




FIG. 10A



1

about the product or service will be telecast so the viewer can watch or record the information automatically by pressing "select" key 42.

5

Bar 18 displays a blue button 44 and/or a green button 46 with legends that depend upon the context of the information displayed on the screen. Remote controller 26 has corresponding keys 48 and 50, respectively, to activate the functions represented by blocks 44 and 46.

10

From window 12, 14, or 16 the viewer moves to grid guide 22 by pressing arrow key 32. (From grid guide 22 the viewer moves to window 12, 14, or 16 by pressing arrow key 34.) In grid guide 22 the viewer moves cursor 36 to highlight one of the nine tiles in which channel and title are displayed by pressing arrow keys 28 and 30. The viewer can view program listings scheduled at future times by pressing keys 32 or 34 to move horizontally about the Grid.

15

From grid guide 22 the viewer moves to navigation bar 20 by pressing arrow key 28. Initially, the center button is highlighted. To highlight a different button, arrow key 32 or 34 is pressed. To enter the screen represented by the highlighted button, "select" key 42 is pressed.

20

In grid guide 22 details about the program represented by the highlighted tile are displayed. If more information is available this fact is indicated by an icon and such information is displayed in the area occupied by grid guide 22, instead of the grid guide by pressing "info" key 40. To return to the grid guide, "info" key 40 is pressed again. After an action button has been pressed or an icon on navigation bar 20 has been activated, an instructional prompt may be substituted for the program information in information box 24.

25

In addition to the tiles representing television programs, a virtual channel ad can be displayed in grid guide 22 on a tile 52. A virtual channel ad may promote, for instance, a current or future television program. Such a virtual channel ad for a television program is linked to the time and channel of the program in RAM so the viewer can watch or record the program automatically by pressing "select" key 42 in the manner described in the referenced application. More than one virtual channel ad may be stored in RAM, but preferably only one such ad is displayed at a time.

30

Reference is made to the TV Guide Plus+ 98 User Interface Specification v1.42stv, which is attached hereto as Appendix A, the disclosure of which is incorporated by reference as if fully stated herein, for more description of the invention.

35

One embodiment of the hardware for this invention includes a circuit board consisting of a gate array that provides all of the control functions for access by the processor (e.g., Motorola 68000), control of memory (dynamic RAM and external ROM), and some peripheral functions such as infrared ("IR") input and output, frequency synthesizer for the

## INTERNATIONAL SEARCH REPORT

International application No  
PCT/US98/15093

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) H04N 5/50, 5/445

US CL 348/731, 734, 569

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. 348/731, 569, 563, 564, 565, 734, 906, 7, 10, 12, 13; 455/6.2, 6.3, 5.1, 5.2

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y,P	US 5,734,853 A (HENDRICKS ET AL) 31 MARCH 1998, COL. 1 & 2, AND FIG. 1.	1-25
Y	US 5,585,866 A (MILLER ET AL) 17 DECEMBER 1996, FIG. 1.	19-25
X	US 5,650,831 A (FARWELL) 22 JULY 1997, FIGS. 3-5, 15	17-25

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*A* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

13 OCTOBER 1998

Date of mailing of the international search report

01 DEC 1998

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231  
Facsimile No. (703) 305-5899

Authorized officer

WESNER SAJOUS

Telephone No. (703) 305-5857

1

9. Recording from Theme Guides.

C. Improved features to the EPG display and navigation, including:

- 5           1. E-mail.
2. Multiple Viewable "Windows."
3. Translucency on-screen effects.
4. On-screen notifications.
5. Theme navigation bar.
- 10          6. Improved Scrolling through the EPG and Smooth Scrolling.
7. "Jumping" in the EPG.
8. Thematic color-coding of program schedule.
9. Controllable number of days of programming.

D. Parental control of the EPG display:

15          E. Improved television program information access by the viewer, including:

1. Virtual Channel Ad Slots and Ad Window program advertisements.
2. Additional detailed information for viewer access including link to the Internet.

20          F. Improved opportunities for the commercial advertiser to reach the viewer, including:

1. Ad Window product-related video clips and infomercial recording.
2. Ad Window program-related recording.
3. Panel Ads.
4. Virtual Channel Ad Slots.
- 25          5. Placeholder Ads
6. Full Screen ads.
7. Automatic watch channel.
8. Ad Features.

G. Improved product information access by the viewer, including:

- 30          1. Ad Window product detail.
2. Ad Window product-related recording.
3. Ad Window program-related recording.

H. Creation of a viewer's profile, including:

1. Collecting viewer profile information.
- 35          2. Analyzing and characterizing viewer profile information.

I. Utilization of viewer profile information to customize various aspects of the EPG;  
and J. Utilization of viewer profile information to provide customized presentation of advertising to the viewer.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

1

“last channel” key on the viewer’s remote control device to return to the program the viewer was watching before entering the Guide, or the last program on which the PIP window was locked (an option explained further below).

5

### ***1.) Theme Guide Function.***

The EPG provides various Theme Guides, e.g., sports, movies, news, etc. Each Theme Guide presents program listings associated with a particular theme, e.g., all sports programs. The Theme Guide display format only displays program listings, and consequently channels, for certain times of the day, with content appropriate for the selected theme. For instance, the Sports Theme Guide will display, typically in schedule order, only listings for channels that carry sports programs that are scheduled during a certain period of time, e.g., 48 hours, 8 days, etc..

15

### ***2.) Record Selection Function.***

In the Record Selection Function, also referred to as the Recording Function, the viewer instructs the EPG what programs to add to the Record List, which is the list of programs and related programming schedule information, for programs that the viewer want to have recorded. As is further described below, the viewer can identify the frequency/regularity with which the viewer wants to record each program listed in the Record List.

20

The viewer can enter the Recording Function in a number of ways. The viewer can press the “Record” key, if there is one, on the viewer’s remote control device. Alternatively, the viewer can “press” a “Record” action button on the EPG display.

25

### ***3.) Watch Scheduling Function.***

In the Watch Scheduling Function, also referred to as the Watch Function, the viewer instructs the EPG what programs to add to the Watch List, which is the list of programs and related programming schedule information, for programs that the viewer want to watch. As is further described below, the viewer can identify the frequency/regularity with which the viewer wants to watch each program listed in the Watch List.

30

The viewer can enter the Watch Function in a number of ways. The viewer can press the “Watch” key, if there is one, on the viewer’s remote control device. Alternatively, the viewer can “press” a “Watch” action button on the EPG display.

35

### ***4.) Data Download Function.***

1

- D. Parental control of the EPG display;
- E. Improved television program information access by the viewer;
- 5 F. Improved opportunities for the commercial advertiser to reach the viewer;
- G. Improved product information access by the viewer;
- H. Creation of a viewer's profile;
- I. Utilization of viewer profile information to customize various aspects of the EPG;
- and J. Utilization of viewer profile information to provide customized presentation
- 10 of advertising to the viewer.

#### DESCRIPTION OF THE DRAWINGS

These and other features, aspects, and advantages of the present invention will become better understood with regard to the following description, appended claims, and  
15 accompanying drawings where:

FIG.1 is a graphic representation of a sample screen display of the EPG.

FIG.2 is a drawing of a portion of a remote control device that shows keys for activating various functions of the EPG.

FIG. 3 is a graphic representation of a sample on screen EPG display depicting the  
20 EPG's on-screen Grid Guide in the programming scrolling mode.

FIGS. 4a and 4b is a graphic representation of a sample on screen EPG display depicting the EPG's on-screen Grid Guide in the channel-scrolling.

FIG. 5 is a graphic representation of a sample on screen EPG display depicting the EPG in the Watch Scheduling Function.

FIG. 6 is a graphic representation of a sample on screen EPG display depicting the  
25 Watch/Record Schedule screen of the EPG.

FIG. 7 is a graphic representation of a sample on screen EPG display depicting the top level theme screen display of the EPG.

FIG. 8 is a graphic representation of a sample on screen EPG display depicting the  
30 second-level theme screen display of the EPG.

FIG. 9 is a graphic representation of a sample on screen EPG display depicting the Channel Guide function of the EPG.

FIGS. 10a and 10b are graphic representations of sample on screen EPG displays depicting one embodiment of the feature of presenting additional information concerning the  
35 subject matter of a highlighted Panel Ad Window.

1

improvement in the UI offered by the present invention is the use of a joy stick as a substitute for the traditional remote control device configuration of a circle of four (4) arrow keys (up, down, left and right) with a select key in the center. The joy stick UI provides a user-friendly interface with the EPG. Use of the joy stick is intuitive. The viewer user does not have to look at the remote once the viewer's finger contacts the remote control joy stick. Accordingly, the viewer can control the UI while simultaneously watching, without interruption, the on-screen display.

10 In another embodiment of the present invention, one improvement in the UI offered by the present invention is the use of a track ball as a substitute for the traditional remote control device configuration of a circle of four (4) arrow keys (up, down, left and right) with a select key in the center.

In both the track ball and the joy stick embodiments, there is an on-screen "cursor." The viewer uses the track ball or joy stick remote control device to navigate the cursor to any location on the screen, much as a PC user navigates a cursor on a PC terminal window.

### 3. Contextually Sensitive EPG On-Screen Control Mechanisms.

"Keys," "buttons," menu "bars," and other such visual control mechanism devices are displayed on-screen for the control of the EPG. Typically, the visual control mechanism devices are sensitive to user-interaction. Typically, the viewer uses the UI remote control device to highlight a particular on-screen control device. Typically, the viewer then uses the UI remote control device to select the highlighted on screen control device.

In one embodiment of the present invention, positionally constant on-screen control devices are contextually sensitive. That is, a particular button can be consistently displayed on every screen of the EPG in the same position and with the same color, from one screen to the next, from one mode to the next. With contextually sensitive control devices, even though the on screen control device has the same appearance and placement from one screen to the next and from one mode to the next, the button has a different function, and if selected, will provide a different result, depending upon the screen on which the button appears. In one embodiment, the function of the on-screen control device is textually described next to the control device, or, if the control device is sufficiently large, on the face of the control device.

For instance, in one embodiment, as illustrated in FIGS. 3, 4a and b, 5, and 6, the EPG displays two buttons at the top of each of the four screens pictured. In each of the four different screens, the top left button has a different function. (As referred to in this application, the directions "left" and "right" refer to the viewer's left and the viewer's right, respectively.) FIG. 3 depicts the EPG's on-screen Grid Guide in the programming scrolling

1 system issues graphic display commands to the on screen display (OSD) controller to implement one or more of the desired enhancement technique(s).

5 The viewer enters the Guide Mode illustrated in FIG. 1 by pressing a "guide" key 35 and returns to the full screen Television Mode by pressing key 35 again or by pressing the "select" key. A real time television program is displayed in window 12. A translucent overlay of the PIP Window 12 can displays the title, channel (local number and/or station name), and status (locked or unlocked) of window 12 over the television program so the viewer can still see the entire image.

10 The PIP Window can be locked or unlocked. The "lock/unlock" function is user controlled. To lock or unlock the PIP Window, the viewer can use a PIP button on the remote control device, or can highlight and press the Lock/Unlock EPG action button. The lock/unlock status is recorded and maintained until the status is reset by the viewer. That is, 15 the lock/unlock status for the PIP Window in the EPG is maintained when the viewer leaves the Guide and later re-enters the Guide, including when the viewer turns off the television. If the viewer selects the "lock" status, the last channel to which the tuner was set in the PIP Window continues to be displayed regardless of the actions exercised by the viewer. In the 20 unlocked status, the channel highlighted by cursor 36 in Grid Guide 22 is displayed if the Grid Guide is displaying currently telecast programs and the last currently telecast channel that was highlighted is displayed if the Grid Guide is displaying future programs.

25 There are generally three results to leaving the Guide, depending upon the way the viewer leaves the Guide. If the viewer, while in the EPG, wants to watch in full screen mode the program shown in the PIP Window, then the viewer can press the Guide button on the remote control device. If the viewer, while in the EPG, highlights a particular channel in the Grid Guide, and then presses the "select" button, the viewer will leave the Guide to view in the full screen mode the television program that the viewer highlighted in the Guide. If the 30 viewer, while in the EPG, presses the "clear" or "cancel" button on the remote control device, then the viewer will leave the Guide and return to the television program that the viewer was watching immediately before entering the Guide.

Typically, an ad for a future telecast program is displayed in window 14. This ad is linked to the time and channel of the program in RAM so the viewer can watch or record the program automatically by pressing the blue left action button to watch the program, or the green right action button to record the program.

35 Typically, an ad for a product or service is displayed in window 16. This ad is linked to more information about the product or service in RAM so the viewer can read one or more pages about the product or service in window 16 by pressing an "info" key 40 one or more times. Alternatively, this ad is linked to the time and channel in RAM that an infomercial



1

up and down the listings for each channel and from left to right and right to left to view the listings for a channel scheduled for different times during the day. Typically, the left-most portion of the guide begins with the earliest scheduled programs and continues to the right serially through the listings scheduled at later times during the day.

As an alternative, the viewer can choose to view the programs scheduled for one channel at a time (a "Channel Guide"). In this format, the viewer scrolls up and down the listings for a single channel as scheduled for different times of the day. Typically, the "top" of the Channel Guide begins with the earliest scheduled program and continues serially through the listings scheduled at later times during the day. FIG. 9 is a graphic representation of a sample on screen EPG display depicting the Channel Guide function of the EPG.

In the "Channel Guide" format, the viewer can select to view the Channel Guide for the "next" channel or for the "previous" channel. In one embodiment, the "Next" and "Previous" Channel Guide is an option on one of the EPG menus, action buttons or task bars. In another embodiment, the viewer's remote control device provides "Next" and "Previous" Channel Guide keys. In another embodiment, the viewer uses the up and down arrow keys to navigate to the next or previous Channel Guides.

## 20 **B. IMPROVED VIEWER CONTROL OF VIDEO RECORDING OF FUTURE-SCHEDULED PROGRAMMING**

### 1. **Recording program displayed in PIP window.**

As explained in more detail below, the EPG provides for multiple "windows." One window displays the currently tuned program. When the viewer enters the EPG from the television mode, the PIP window is "highlighted." In one embodiment, highlighting of the PIP window is accomplished by a color change of the border around the PIP window. While the PIP window is highlighted, the viewer can instruct the EPG to record the displayed program. In one embodiment, the viewer records the displayed program in the highlighted PIP window by pressing the record button on the viewer's remote control device.

### 2. **Recording "Regularly."**

One embodiment of the present invention provides the viewer with the option of recording a particular program "regularly." The "regularly" option can be selected when the viewer highlights a particular program title on the EPG Grid Guide. Viewer selection of the "regularly" option instructs the VCR control system to record the particular title on the selected channel at the selected time slot any day of the week that the program is telecast. If a telecast of the selected title is preempted by another program, the new program is not

1

2 paging system, and data acquisition from the paging system. Inside there is a module for  
3 creating an on-screen display including a programmable DMA (direct memory access)  
4 controller, a color lookup table that provides for a field called a color index that can be used  
5 to select a more complicated color (more bits than can be expressed in the bit map), first-in-  
6 first-out ("FIFO") memory for ordering the pixels (which allows the system to write the  
7 pixels as fast as the system is capable of writing the pixels and then sending the pixels to the  
8 display according to a prescribed timing. Included in the chip is a timing subsystem that  
9 produces a number of different timing signals of varying frequency--from clocks to long  
10 millisecond time measurement, and interrupts. Synchronization signals for the television  
11 monitor are also generated by the internal timing subsystem. The system also typically  
12 includes circuits for functions including but not limited to: data receiver, memory controller,  
13 timing interface with the processor, data deinterleaving, error correcting, and synchronous  
14 timing generator with horizontal and vertical counters.  
15

16 Another feature of one embodiment of the EPG system hardware is that display list  
17 hardware is capable of both video input and output on the same DMA hardware. The display  
18 processor is comprised of a video section and a FIFO section in an ASIC. The system has  
19 multiple clocks. The display memory has the capability to store 8 screen tiles in a horizontal  
20 plane.

21 Described below in more detail are the following improvements to an EPG:

22 A. Improved viewer interaction capabilities with the EPG, including:

- 23 1. A Variety of Operating Modes.
- 24 2. Joy Stick and Track Ball Viewer Remote Interface.
- 25 3. Contextually Sensitive EPG On-Screen Control Mechanisms.
- 26 4. Watch Scheduling.
- 27 5. "All Channel" Guide Format, Channel Guide Format and  
28 "Next"/"Previous" Channel Guide.

29 B. Improved viewer control of video recording of future-scheduled programming,  
30 including:

- 31 1. Recording program displayed in PIP window.
- 32 2. Recording "Regularly."
- 33 3. Record Function rerun filter for "Regularly" recorded programs.
- 34 4. Skip recording instruction.
- 35 5. Automatic Record List Update.
- 36 6. Recording on recordable Digital Video Discs.
- 37 7. Speed Sensitive Tape Capacity.
- 38 8. Record Instruction Conflict Resolution.

1

one embodiment, when the EPG detects program scheduling changes, the Record List is automatically updated with the schedule change information. For instance, if a sports event runs longer than the originally scheduled time, a packet of scheduling update information can be transmitted over the VBI that updates the time of the programs scheduled to be telecast after the sports event. The EPG detects the VBI scheduling updates and updates the recording list to permit the recording of any programs following the sports program to be recorded as appropriate.

10

#### 6. Recording on recordable Digital Video Discs.

The viewer can instruct the EPG to record programs on recordable Digital Video Discs (DVD's). Because of the extended storage capacity of DVD's, the viewer can instruct the EPG to record and index an extended period of programming. For instance, the viewer can instruct the EPG to record and index, e.g., 4 hours of CNN news broadcasts certain number. When the viewer is ready to view the DVD recording, the EPG displays the DVD index on screen. The viewer can then select to view either the entire DVD, or only those portions of the recording in which the viewer is interested.

In one embodiment, program-level indexing of recorded programs is created. In another embodiment, intra-program indexing is created by using information transmitted in the VBI of the video transmitted. In this embodiment, a recording of CNN would likely show indexing breakdowns that include themes, such as "International News," "National News," "Sports," "Entertainment," "Business & Finance," and "Weather."

In yet another embodiment, intra-program indexing is created using some constant time interval. The index shows a start and end time interval, and audio content excerpts.

In still another embodiment, indexing software analyzes the audio content of the program recorded ("Content Analysis Program"). This is typically in addition to using all indexing breakdown information transmitted in the VBI of the program. The Content Analysis Program uses speech and voice recognition technology to analyze, among other things, such variables as: changes in announcers, changes in tone, changes in speed, topical words, geographic locations, substantive words. The Content Analysis Program then creates a topical index in addition to the theme index described above.

#### 7. Speed Sensitive Tape Capacity.

The EPG's Record Function provides a Record List that identifies the titles of programs that the viewer has selected to be recorded. The speed sensitive tape capacity feature uses color coding to identify in one color the titles that would fit on one tape at a fast

**A. IMPROVED VIEWER INTERACTION CAPABILITIES WITH THE EPG**

**1. A Variety of Operating Modes.**

Under the improved EPG system, there are multiple modes in which the viewer can operate the television.

**a. *Television Mode.***

In the Television Mode, the viewer watches a full screen display of the television video programming. In one embodiment, in order to enter the EPG, the viewer presses the "Guide" key on the viewer's remote control device. In another embodiment, the EPG Grid Guide is the default mode. In the case where the EPG Grid Guide is the default mode, when the viewer turns the television on, the first thing that the viewer sees is the EPG in Grid Guide Mode as is described more fully below. In one embodiment, at the viewer's option, as identified in the EPG set up procedure, the viewer can override the EPG Grid Guide default mode by selecting to automatically enter the Television Mode whenever the viewer first turns on the television. During setup procedures, the viewer can further instruct the EPG to automatically tune to the last-watched channel as identified when the viewer last turned off the television. The viewer can further instruct the EPG to automatically tune to the viewer's favorite channel, as is deduced from analyzing the viewer's profile information, described below. Alternatively, the viewer can instruct the EPG to automatically tune to a particular channel, e.g., a news channel such as CNN.

**b. *EPG Grid Guide Mode.***

In the EPG Grid Guide Mode, the EPG displays the Grid Guide, or in the alternative, a Channel Guide. The viewer can request that the Grid Guide occupy the entire screen, be displayed over a portion of the screen as an overlay of the video television programming, or, in the preferred embodiment, occupy only a portion of the screen, typically 2/3 of the entire screen, while continuing to show the video television programming in the PIP Window of the screen. In the preferred embodiment, multiple Windows are displayed for the viewer, as are further described below, including at least: the EPG/Grid Guide Window, the PIP Window, and the Ad Window.

Scrolling through the Guide is described below. The viewer can press the "Menu" key on the viewer's remote control device to go to the top of the Guide.

The viewer can return to the full screen display of the video television programming in a number of ways. One way is to press the "Guide" key on the viewer's remote control device. Another way is to press the "Select" key on the viewer's remote control device when the on-screen highlighting/cursor is highlighting a particular program listing on the Grid Guide for a program that is available for real-time viewing. Another way is to press the

1  
score for a particular sports event and/or on the sports program listing in the Sports Theme Guide.

5  
C. IMPROVED FEATURES TO THE EPG DISPLAY AND NAVIGATION

1. E-mail.

In the preferred embodiment, the EPG interfaces with the Internet/World Wide Web.

10 In the preferred embodiment, the viewer can access the Internet to send and receive e-mail.

In another embodiment, the television terminal is separately addressable, and the head end controls e-mail traffic between viewers on its network. To facilitate two-way transmission a 900 or toll free number is used as a back link. E-mail can then be sent to the appropriate viewer through the VBI to the viewer's separately addressable television.

15  
2. Multiple Viewable "Windows."

The EPG UI screen provides for multiple viewable "windows." One window presents the EPG Grid Guide. Another window presents the picture-in-picture (PIP) window on which the currently tuned program is displayed. Another window displays advertising information (the "Ad Window"). Advertising may be in the form of graphics and textual information. Alternatively, advertising may be in the form of video display. In one embodiment, the Ad Windows are interactive.

20 As the viewer enters the EPG from the television mode, the PIP window is highlighted. The viewer can lock the PIP window. Locking the PIP window allows the viewer to continue to watch the television program being displayed in the PIP window while the viewer scrolls through the EPG program Grid Guide. Unlocking the PIP window causes the video for the program title highlighted in the Grid Guide to be displayed in the PIP window.

25 As described further below, the viewer can also highlight the Ad Window. Doing so will cause additional text describing the product to be displayed in the detail box area of the EPG Grid Guide.

30 If the Ad Window displays information about a particular product, pressing a record button will instruct the EPG to record an infomercial, to the extent that one is scheduled for a future time. Alternatively, the Ad Window can display information about a future-scheduled television program or about a series of programs to be telecast over a period of time. In that case, pressing a record button will instruct the EPG to record the future-scheduled program. Alternatively, the viewer can designate the program for the Watch List.

1

5 In some embodiments, data for the EPG schedule, and/or supplemental information relevant to the program listings, and/or advertising data, can be downloaded to the memory resident at the viewer's television system. In the preferred embodiment of the download data system, the viewer will ask the EPG to make certain types of information available; the EPG will use an index of where to find the information and will automatically connect to the appropriate data source and will download the information. Data for the EPG schedule, and/or supplemental information relevant to the program listings, and/or advertising data, can be downloaded from various sources. In one embodiment, data is downloaded from the Internet. In other embodiments of the download data system, the viewer is asked to tune to a particular channel at a particular time if the viewer is interested in accessing and downloading particular types of information.

15

*c. Internet Mode.*

Not all embodiments require that data be downloaded to the EPG memory. In one embodiment, the EPG scheduling data, supplemental data and/or advertising data and the software to format, display, and navigate the EPG scheduling data, supplemental data and/or advertising data is accessed by the viewer's television system through a direct link between the viewer's television system and the Internet.

20

In one embodiment of the above-described direct-link to the Internet, the viewer's television is connected to the Internet by telephone line via modem, by cable modem, by other two-way communication device, including wireless modem communication devices and by other conventional methods of communicating with the Internet. The initial connect web site address may be supplied, for instance, through information transmitted to the viewer's television over the vertical blanking interval (the "VBI"). The viewer may also be provided with a selection of multiple EPG Internet web sites. The viewer uses the remote control device to select one of the EPG Internet web sites.

25

The viewer's television system is programmed to emulate computer on-line access to the Internet. Once the connection between the viewer's television system and the Internet is made, the user has two-way communication with the on-line Internet service provider of the EPG related information. The user can then navigate through the EPG. Furthermore, in one embodiment, in which keyboard user interface is available, the user can enter chat rooms or other interactive services.

30

35

**2. Joy Stick and Track Ball Viewer Remote Interface.**

The viewing user's video interface (UI) comprises the viewer's remote control device and the television monitor screen display. In one embodiment of the present invention, one

1

to a PIP format, and the notification is displayed outside of the PIP window: 4.) The real time  
 program video is automatically changed to a PIP format, and the notification is displayed  
 5 inside of the PIP window: 5.) as a "watermark" somewhere on-screen: 6.) an on-screen icon  
 is displayed which can be "pressed" by the viewer using the navigation keys on the viewer's  
 remote control device, and which, if pressed, displays the notification in one of the above  
 formats: 7.) the program video is compressed slightly to fit in some percentage, e.g., 90%,  
 of the top of the screen, and the notification is displayed as a horizontally-rolling message at  
 10 the bottom of the screen: 8.) the program video is compressed slightly to fit in some  
 percentage, e.g., 90%, of the bottom of the screen, and the notification is displayed as a  
 horizontally-rolling message at the top of the screen.

If the television is in some mode other than the television mode, the EPG can notify  
 the viewer through some modification of one of the above-described formats. For instance,  
 15 if the television is in the Grid Guide mode in a PIP format, then the EPG could use any of  
 format numbers 1.), 2.), 5.), 6.), 7.), 8.) or, the EPG could notify the viewer by displaying the  
 notification in the Ad Window, a virtual ad channel slot, in the detail information window,  
 or in a horizontally-rolling message at the top or bottom of the screen.

20

#### 5. Theme navigation bar.

The theme display is above the top of the Grid Guide. In one embodiment, the Grid  
 Guide display provides for a "page up" on-screen button. In one embodiment, the Grid Guide  
 display also provides for a "menu" button. The viewer can scroll to the top of the Grid Guide  
 by successively "pressing" the page up on-screen button, or by "pressing" the menu button.

25

#### 6. Improved Scrolling through the EPG and Smooth Scrolling.

In the top level screen of the EPG in Grid Guide mode, the viewer user can jump  
 directly to a future day of programming schedule information.

30

In one embodiment, the Grid Guide display provides for a "page up" on-screen button.  
 Program schedule information for a plurality of channels is displayed on a screen of  
 the EPG in Grid Guide mode. Titles are shortened for display in the Grid Guide to conserve  
 space. The entire title is available to the system and is displayed in the detailed description  
 area of the Grid Guide when the viewer highlights a tile in the Grid Guide for the  
 corresponding program listing. But the EPG shortens the titles, according to a set of rules for  
 35 shortening the titles, so that the titles fit in the scheduling tiles of the Grid Guide.

The viewer can scroll up or down through the program listings. While scrolling, the  
 titles are not drawn until the scrolling stops. Such a delay in drawing titles speeds up the  
 processing and makes the screen appearance less confusing. While scrolling, the cursor will

1

mode. In FIG. 3, the viewer's-left button is described as "Watch." FIGS. 4a and 4b depict the EPG's on-screen Grid Guide in the channel-scrolling. In FIG. 4a and b, the viewer's-left button is a toggle button, alternately described as "Lock" and "Unlock." FIG. 5 depicts the EPG in the Watch Scheduling Function. In FIG. 5, the viewer's-left button is described as "Cancel." FIG. 6 depicts the Watch Record Schedule screen of the EPG. In FIG. 6, the viewer's-left button is described as "Remove."

10

#### 4. Watch Scheduling.

The EPG provides the viewer with the opportunity to select program titles, scheduled for delivery at future times, to watch. By selecting program titles, the viewer builds a "watch list." Watch list options and instructions provide functionality parallel to the EPG's Record Function. Instead of automatically recording the programs selected, the Watch Function automatically turns the television on, if it is not already on, and automatically tunes the television to the channel scheduled to deliver the designated program, if the television is not already tuned to that channel. This feature provides the viewer with the opportunity to watch a program of special interest at the scheduled time even if the viewer has forgotten about the scheduled delivery. This feature will also provide for parental selection of program viewing for children.

20

The viewer can enter the Watch Scheduling Function in a number of ways. The viewer can enter the Watch Scheduling Function by selecting that Function from the EPG menu. The viewer can also enter the Watch Scheduling Function by highlighting an Ad Window displaying an advertisement for a future-scheduled program or a Virtual Channel Ad Slot displaying an advertisement for a future-scheduled program (both of which are described elsewhere in this application).

25

The viewer can designate any program on the Watch List as a program that the viewer wants to watch regularly. In one embodiment, if the viewer enters the Watch Scheduling Function by highlighting an Ad Window or Virtual Channel Ad Slot, then if the viewer chooses to designate the program as a "regular" watch, the designation expires after a certain amount of time if the advertiser stops running the advertisement. The planned expiration is an incentive to the advertisers to renew their advertisements.

30

#### 5. "All Channel" Guide Format, Channel Guide Format and "Next"/"Previous" Channel Guide.

35

The viewer can choose to view the Grid Guide in an "all channel" format which displays in some order every channel and the listings of programs already in progress or scheduled to begin at some time in the future. In the "all channel" format, the viewer scrolls



1

to press the keys as if alphabetic and/or alphanumeric. In this way, the viewer can enter a channel identifier, such as "CNN".

5

In yet another embodiment, the viewer can request a pull down menu of favorite channel identifiers and can select a channel from the pull down menu.

10

In yet another embodiment, the viewer can set "bookmarks" in the EPG by using a "bookmark" key on the viewer's remote control device, or alternatively, a "bookmark" button on the EPG display. The viewer can press the "bookmark" key when the user wants to mark a current location for later return. The viewer can then scroll, jump, or otherwise navigate away to some other location in the EPG. When the viewer wants to return to the book marked location, the viewer can press the "lastmark" key (on either the viewer's remote control device, or alternatively on the EPG display). The EPG can record a plurality of book marked locations. In one embodiment, the EPG can remember book marked locations after the viewer turns off the television and then turns on the television multiple times.

15

#### 8. Thematic color-coding of program schedule.

The EPG categorizes programs according to a plurality of themes. In one embodiment, the EPG color codes the presentation of the program in the Grid Guide according to the theme categorization assigned to the program.

20

#### 9. Controllable number of days of programming.

Typically, the EPG will carry only 2 days of program listings. At the viewer's selection, the EPG can carry only a single day of program listings. The single day option provides a smaller range of program listings but increases response time. Alternatively, the viewer can select to carry any number of days of program listings, up to the number of days that is provided for by the particular installation, which is set by the corresponding amount of memory storage available.

25

#### 30 D. PARENTAL CONTROL OF THE EPG DISPLAY

The Parent viewer initially enters the Parental Control Function during initial EPG setup procedures. In the EPG setup procedure, the Parent identifies all viewers of the television, and assigns individual viewer Identifiers. The Parent viewer also establishes a password for said Parent viewer. U.S. Provisional Patent Application Serial No. 60/085,401 ("V-CHIP Plus+: In-Guide User Interface Apparatus and Method for Programmable Blocking of Television and other viewable programming such as for Parental Control of a Television Receiver") describes Parental Control setup procedures for the identification of individual

35

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2216  
2217  
2218  
2219  
2220  
2221  
2222  
2223  
2224  
2225  
2226  
2227  
2228  
2229  
2230  
223

1

EPG to connect the user with detailed specialized information guides/data services, such as sports, news, or other guides/data services. In one embodiment, the linking to the external data source is accomplished by storing a web site address with the Ad Window or Virtual Channel Ad Slot advertisement in the RAM of the user terminal.

5 A sports program listed in the Grid Guide provides an illuminating example of how the viewer interacts with such a detailed specialized information guide/data service. When the viewer highlights a football game listed in the Grid Guide, the normal detail concerning the program is displayed in the detailed information area of the Grid Guide. Furthermore, multiple icons related to the highlighted program can be displayed in the Grid Guide. One icon alerts the user that the game is already underway. Another icon indicates the availability of specialized guide information. The viewer can select the program from the Grid Guide for viewing and/or recording. In addition, the viewer can select the specialized guide icon. In the case of a sports program, selecting the specialized guide icon would display, for instance, a scoreboard for the game if the game were already in progress in the detailed information area of the Grid Guide. If the game were scheduled for a future time, then selecting the specialized guide icon would display, for instance, information about the players, the teams, and perhaps, the odds about the game.

15 Another icon, displayed for instance in the display of the sports guide scoreboard, provides the viewer with the option of connecting to the Internet, e.g., to a particular web site that provides additional information about the game, possibly, including online chat about the game. In one embodiment, the EPG switches to full screen to display of the Internet web site. In another embodiment, the EPG displays the Internet web site in the area of the screen previously occupied by the Grid Guide and/or the Grid Guide and the Ad Window, while continuing to display the real time video display of the currently tuned television program in the PIP window. Alternatively, the EPG can display the Internet web site in the PIP window and display the currently tuned television program in the area of the screen previously occupied by the Grid Guide and/or the Grid Guide and the Ad Window. The Internet web site to which the EPG initially connects (the "contact web site") may be a specialized directory, using pre-determined hyperlinks to the viewer to other sites of interest. The contact web site may additionally, or in the alternative, offer search capabilities to the viewer to locate information of interest.

20 Another icon, displayed for instance in the display of the sports guide scoreboard, provides the viewer with the option of connecting to the Internet, e.g., to a particular web site that provides additional information about the game, possibly, including online chat about the game. In one embodiment, the EPG switches to full screen to display of the Internet web site. In another embodiment, the EPG displays the Internet web site in the area of the screen previously occupied by the Grid Guide and/or the Grid Guide and the Ad Window, while continuing to display the real time video display of the currently tuned television program in the PIP window. Alternatively, the EPG can display the Internet web site in the PIP window and display the currently tuned television program in the area of the screen previously occupied by the Grid Guide and/or the Grid Guide and the Ad Window. The Internet web site to which the EPG initially connects (the "contact web site") may be a specialized directory, using pre-determined hyperlinks to the viewer to other sites of interest. The contact web site may additionally, or in the alternative, offer search capabilities to the viewer to locate information of interest.

25 Once the viewer is connected with a specialized information guide/data service, the viewer can use the guide/data service to direct the viewer to particular information contained in the EPG Grid Guide. For instance, a viewer selects a news program to watch. While watching the news program, the news broadcaster describes an event involving astronauts. The viewer selects the news guide/data service icon and connects to a web site on the Internet

1  
tape speed and to separately identify, with another color, the titles that would fit on one tape  
at slow tape speed.

5  
8. **Record Instruction Conflict Resolution.**

The EPG's Record Function recognizes conflicts in viewer record instructions. In one embodiment, the EPG's Record Function prompts the viewer to resolve the conflict. For instance, in the Record Function, the EPG would accept viewer instructions to record a particular program. The EPG compares the newly received record instruction to as-yet incompletely executed, or as yet unexecuted, record instructions in the Record List. If the EPG detects an overlap in date, time and duration between the newly received instruction on the one hand and one or more of the remaining record instructions in the Record List, the EPG formats a message to the viewer describing the conflict. The message describes to the user the newly received instruction to record a particular program and the conflicting record instructions in the Record List. In Record Function, the EPG will prevent entry of conflicting instructions into the Record List. The EPG will require that the viewer revise the record instructions to eliminate the conflict. In one embodiment, if the EPG detects that one recording instruction pertains to a "one occurrence" program that conflicts in date, time and duration with a recording instruction to record a "regularly recorded" program, the EPG would format an on screen message that would suggest to the viewer that the viewer select the "one occurrence" program to be recorded. In another embodiment, the EPG automatically "decides" to override the "regularly record" instruction and will record the "one occurrence" program with no further intervention by the viewer.

25 One way to resolve a recording instruction conflict is to chose an alternative occurrence of the conflicting program for recording. In one embodiment of the EPG, the viewer can highlight a particular program in the EPG and request a list of all occurrences of that program for the week. The viewer can then instruct the EPG to record an alternative occurrence of the program. In an alternative embodiment, the viewer can view an alphabetical list of all programs for the week. The viewer can mark a program for viewing or recording from the alphabetical list.

9. **Recording From Theme Guides.**

35 The EPG provides various Theme Guides, e.g., sports, movies, news, etc. When the viewer selects a particular Theme Guide, e.g., the Sports Theme Guide, the viewer can instruct the EPG to record an event while in the Theme Guide without having to exit the Theme Guide and go to the program Grid Guide. For instance, in the Sports Theme Guide, the viewer instructs the EPG to add a sports event to the Record List by clicking on the box

1

F. IMPROVED OPPORTUNITIES FOR THE COMMERCIAL ADVERTISER TO REACH THE VIEWER

5

1. Ad Window product-related video clips and infomercial recording

10

The EPG provides producers of infomercials with extended capabilities to reach the viewers through the Ad Window. Because of the cost of buying advertising time, a growing number of product manufacturers and marketers produce infomercials about their products and then buy relatively inexpensive air time for their infomercials according to off-prime-time schedules, often on non-prime channels. The EPG provides the producers of infomercials with the opportunity to provide the viewer with the opportunity to record an infomercial that is broadcast at a time, or on a channel, that would be inconvenient for the viewer to watch real-time.

15

If the Ad Window displays information about a particular product, pressing a record button will instruct the EPG to record an infomercial or advertisement, to the extent that one is scheduled for a future time. Alternatively, the viewer can designate the infomercial or advertisement for the Watch List. Alternatively, the EPG provides the producers of infomercials with the opportunity to provide the viewer with the opportunity to view a video clip about the product being advertised.

20

In one embodiment, the video clip associated with the product and/or program displayed in the Ad Window is shown when the viewer highlights the Ad Window. Depending upon the embodiment and/or viewer option selections, the video clip is shown in the PIP window, in the Ad Window, or full screen. At the conclusion of the video clip, the EPG typically returns to the mode in which the viewer was operating immediately before selecting the option that triggered the display of the video clip.

25

2. Ad Window program-related recording

30

The EPG provides distributors of television programming with additional opportunities to reach the viewer. The Ad Window can display information about a future-scheduled television program. If the viewer is interested in recording the program, the viewer can take a number of alternative actions. For instance, in one embodiment, the viewer can instruct the EPG to record the future-scheduled program. In one embodiment, the viewer presses record button on the remote control device to instruct the EPG to record the future-scheduled program. Alternatively, the viewer can instruct the EPG to add program to the Watch List. Alternatively, the viewer can instruct the EPG to display a video clip about the program. Yet further, the viewer can instruct the EPG to connect the user with detailed specialized information guides/data services, such as sports, news, or other guides/data services. The EPG provides the viewer with the ability to request detailed information from

35

1

In one embodiment, the viewer navigates from the Grid Guide to the PIP Window by pressing the left arrow key until the cursor/highlighting reaches the PIP Window. From the PIP Window, the viewer uses the right arrow key to move back to the Grid Guide. In one embodiment, moving from the PIP Window to the Grid Guide causes the cursor to scroll to the very top of the Grid Guide lineup. From the top of the Grid Guide lineup, pressing the up arrow key moves the cursor to the navigation bar. The EPG provides several possible destinations on the navigation bar, e.g., info center, sports, news, set up, help, etc.

From the PIP Window, pressing the down arrow key moves the cursor to the Ad Window.

The viewer can set a default, or allow the system default, to highlight a particular navigation bar destination when the viewer initially enters the Grid Guide.

### 15           3.       Translucency on-screen effects.

In one embodiment, the EPG creates special translucency visual effects. To create the translucency effect, the system alternates the display format pixel by pixel--one pixel is the color of the overlay and the next pixel is transparent.

### 20           4.       On-screen notifications.

The EPG formats on-screen notifications to the viewer and displays the notification to the viewer. On-screen notifications can be used to alert the viewer to any number of possible items of information. For instance, the EPG can notify the viewer that the EPG will begin recording a particular program within a certain amount of time, e.g., 2 minutes. The record notification could further ask the viewer whether to switch the cable box to record the program. If the viewer indicated that the viewer did not want the EPG to switch to the cable box to record the program, then the EPG would delete the program from the record list. Another example would be to notify the viewer that a program that may be of interest (e.g., as determined from analyzing the Viewer's Profile) will be broadcast on another channel within a certain amount of time, e.g., 2 minutes. The EPG could then ask if the viewer wants to view the program on the other channel. If the viewer indicates that the viewer wants to watch the program on the other channel, then the EPG will automatically tune to the other channel at the appropriate time. Alternatively, the EPG could ask the viewer is the viewer wants to record the program on the other channel and could then record that program at the appropriate time if the viewer answers affirmatively.

35

If the television is in television mode, the notification will be displayed on-screen. The notification can be displayed in a number of ways, including: 1.) a complete screen overlay; 2.) a partial screen overlay; 3.) The real time program video is automatically changed

1

If the user turned on more channels requiring the addition of a fourth hard page, then the fourth Panel ad Pair would become visible.

5

In one embodiment, the user can highlight these ads, resulting in the automatic display of an expanded information box. This expanded information box covers the entire right-hand 2/3rds of the grid. The user closes the expanded information box by moving the highlight off the Panel ad or by pressing the information button after the last related information box screen has been presented. FIGS. 10a and 10b are graphic representations of sample on

10

screen EPG displays depicting one embodiment of the feature of presenting additional information concerning the subject matter of a highlighted Panel Ad Window.

15

In one embodiment, Panel ads are surrounded by flat black borders. When a panel ad is highlighted, the border turns yellow. When a program is set to record the border turns red (dark red when the Panel ad is not highlighted, light/bright red when highlighted). When a program is scheduled to watch, the border turns orange (dark orange when the Panel ad is not highlighted, light/bright orange when highlighted).

20

In one embodiment, there can be multiple information "screens" displayed sequentially in the expanded information box. Pressing the Info. button while an ad is highlighted accesses these additional screens. There is no finite limit to the number of additional screens; memory limitations and selling requirements will limit this number.

25

In one embodiment, if a Panel ad is highlighted, has show information associated with it, and the advertised show is currently on, the user may tune directly to the related program by pressing the Left Action button (the Blue button which is labeled "Watch") or by pressing the Enter/Select button on the remote. Pressing the Watch button also places the show in the Record/Watch Schedule for the duration of the show to allow the user to set the frequency to daily or weekly. If the show is not currently on, pressing the Left Action button places the show in the Record/Watch Schedule or; pressing the Enter/Select button tunes to the channel related to the show in the ad. Shows added to the Record/Watch Schedule may be set to be viewed: once, daily, or weekly. The Watch feature and related Action button labels operate

30

in the same way as if scheduling a show to watch from the Grid.

35

In one embodiment, if a Panel ad has show information associated with it, the show may be recorded by highlighting the ad and pressing the Right Action button (the Green button, labeled "Record"). If the show is on now, recording begins immediately and the show is placed in the Record/Watch Schedule for the duration of the show to allow the user to set the frequency to daily or weekly. If the show is on in the future, that show is added to the Record/Watch Schedule for auto-recording. Shows added to the Record/Watch Schedule may be set to be recorded: once, daily, or weekly. The Record feature and related Action button labels operate in the same way as if scheduling a show to record from the Grid.

1

not highlight the top or the bottom tile on the screen unless the channel is the top or bottom of the lineup. The absence of highlighting signals to the viewer that more channels remain in the scrolled direction.

5

A further improvement to the EPG User Interface ("UI") is the development of "Smooth Scrolling." When the cursor reaches the second tile from the bottom, and a new tile appears on the bottom, the entire tile and its contents, e.g., a program title, grow gradually in height until the newly appearing tile reaches full tile height. At the same time, the tile that is disappearing from the top of the screen, and the contents of that top tile, shrink in height until the tile is gone. This provides a smooth transition in the overall screen display but is not actually perceptible because it is changing at 1/60 of a sec.

10

Smooth Scrolling is less disorienting to the viewer than a page by page screen change, which is the scrolling technique used in existing on screen guides. The entire bit map does not need to be redrawn as you scroll up one tile--only the top tile is shrunk or compressed in the vertical dimension.

15

In one embodiment, while slowly scrolling, the new title appearing on the screen is not redrawn until the scrolling stops. While rapidly scrolling multiple tiles, the processor stops redrawing the title on any of the tiles during the scroll; the processor waits until the scroll stops or slows down to redraw the titles. This permits faster scrolling because the titles do not have to be retrieved until the screen reaches the desired point. Redrawing the data is very processor intensive. A special interaction between the firmware and the hardware is required to minimize redrawing the bit map and retrieving data from memory. This applies to both vertical and horizontal scrolling. The user can remain oriented because the channel identifiers and schedule times remain displayed.

20

25

### 7. "Jumping" in the EPG.

The viewer can "jump" to the desired action or location in the EPG in a number of ways. In the Grid Guide, the viewer can jump to the channel slot for a particular channel by entering the digits of the channel identification number on the key pad of the viewer's remote control device. The EPG interprets the number and calculates the proper position for the EPG cursor. The EPG then displays the cursor at the appropriate channel slot on-screen.

30

In one embodiment, the viewer's favorite and/or most watched channels are displayed as buttons on a favorite channel selection bar somewhere on the EPG display of the Grid Guide. The viewer can jump to one of the viewer's favorite channels by "pressing" the appropriate channel button.

35

In another embodiment, the viewer's remote control device displays letters associated with the numbers on the key pad. The viewer can use a special "Alt" key to allow the viewer



1

Guide is a useful source of TV programming information. Typically, there will be approximately 1 Channel ad per hard page.

5

Channel ads are typically the height of a channel slot, the width of the grid and are intermingled with the channel listings. The usable area for a Channel ad is typically 24 pixels high x 344 pixels wide, with 2 pixel wide bevels all around.

There are several types of Channel ads, including: Relative, Parent, and Fixed position Channel ads.

10

Relative Channel Ads appear in a position relative to the top of the grid and are spaced every  $n$  channel slots, where  $n$  is some number. These ads appear and disappear as the user pages through the Guide's hard pages. It is anticipated that  $n$  will usually (but not necessarily always) equal 9 since this is the number of channels in the PIP version grid. This would provide for one ad per hard page. A location for the first ad can be selected on the first page and subsequent ads follow every  $n$  channel slots. The same ad is repeated every  $n^{\text{th}}$  slot. This method of repeating every  $n^{\text{th}}$  channel slot is true for both PIP and non-PIP versions. Typically, as a user turns channels off, the spacing of these ads remains constant (every  $n$  channel slots). In the event that there are not enough channels to continue this spacing, ads will appear at the end of the grid listings.

15

20

Parent Channel ads are related to a specific channel located directly above the ad. A Parent Channel ad is attached to its adjacent "parent" channel (that is, the ad follows the parent channel). As it is desirable to limit the number of Channel ads seen on any one screen, the number of Parent ads will typically be limited. Additionally, if the parent channel is turned off, the ad will typically be displayed at the bottom of the grid.

25

Fixed Position Channel ads are located in one specific location,  $y$  (where  $y$  is some number) channels down from the top of the grid. If  $y$  is greater than the number of channels in the grid, the ad will be located at the end of the grid.

Except as noted above regarding Parent and Fixed Position Channel ads, Channel ads will typically be spaced so that no more than one Channel ad is displayed at one time.

30

In one embodiment, Channel ads page vertically along with the channel listing information. These ads remain in a fixed position when the grid is scrolled horizontally. The user can highlight these Channel ads just as any show title can be highlighted. When highlighted, these Channel ads display additional information in the info. box just as when any channel is highlighted.

35

Channel ads are typically surrounded by bevels just like any show tile. Channel ad highlighting is typically similar to Panel ad highlighting. In one embodiment, when a user highlights a Channel ad, the bevels change to a flat (non-beveled) yellow border. When a Channel ad show is set to record the border turns red (dark red when not highlighted).

1

viewers and initialization of password protection, the disclosure of which is incorporated by reference here as if fully stated herein.

5

In the Parental Control Function, the Parent selects the channels and programs that can be visible in the Grid Guide for a particular viewer and selects channels and/or programs that are to be blocked from viewing. Child viewers, as identified during setup procedure, will view a simplified Grid Guide and will be blocked from viewing the programs so marked by the Parent. In one embodiment, individual viewers are identified by viewer ID and password.

10

In another embodiment, individual viewers have different remote control devices, the use of which is also password protected.

**E. IMPROVED TELEVISION PROGRAM INFORMATION ACCESS BY THE VIEWER**

**1. Virtual Channel Ad Slots and Ad Window program advertisements.**

15

As described below, the EPG provides the viewer with multiple opportunities to obtain detailed information about television programs. As is further described below, the EPG provides the viewer the opportunity to select Virtual Channel Ad Slots or Ad Window displays that advertise future-scheduled television programs and get additional information in the way of text or video clips.

20

**2. Additional detailed information for viewer access including link to the Internet.**

25

The EPG displays detailed information relevant to program listings in the detailed information area of the Grid Guide. The detailed information can include, among other things, a detailed textual description of the program, information about the actors and actresses, information about the production of the program, product related information, identification of relevant Internet web sites and online Internet chat rooms. The EPG provides the viewer with the ability to request detailed information from such guides/data services in a number of ways, including when the viewer highlights a particular program in the Grid Guide, the Ad Window, or a Virtual Channel Ad Slot. In one embodiment, the viewer's remote control device has a power "Information" key. When the viewer has navigated the on screen highlighting/cursor to a particular tile or window on the EPG on screen display, the viewer can press the remote control device "Information" key to request the additional information

30

In one embodiment, when the viewer highlights a particular program in the Grid Guide, the Ad Window, or a Virtual Channel Ad Slot, or other requests access to detailed program-related information, the EPG connects the viewer with an external database of information, such as with a particular web site on the Internet. The viewer can instruct the

35

1

6. Full screen ads.

When the viewer first enters the EPG, the EPG can display a full screen ad, such as  
5 an ad that would be displayed in the Ad Window. The viewer can interact with the full screen  
ad in the same manner in which the viewer can interact with the Ad Window. That is, the  
viewer can instruct the EPG to record, or to add to the watch list, the infomercial or program,  
if there is one, that is associated with the advertisement.

10 7. Automatic watch channel.

Rather than have the last channel watched as the first channel tuned the next time that  
the viewer turns on the television, a channel selected by the viewer could be automatically  
tuned. In one embodiment, the viewer indicates the Automatic watch channel in the Watch  
List Function of the EPG. In another embodiment, a broadcaster sends an on-screen query  
15 to each viewer to enter a command if the viewer wants the broadcaster's channel to be the  
first watched channel when the viewer first turns on the television.

8. Ad Features.

Ads may feature, among other things, a graphics field, a text field or a combination  
20 of a graphics and text field.

Graphics are typically presented in 8 bit/pixel (using "320 mode"), 4 bit/pixel (in "640  
mode") and 1 bit/pixel images. In some embodiments, there will be memory limitations. In  
embodiments with such memory limitations, it is expected that Panel ads will contain  
graphics no larger than 25% of the ad area when 4 or 8 bit/pixel graphics are used. 100% of  
25 the area may be used for a 1 bit/pixel graphic. Channel ad graphics will typically, but not  
necessarily, be limited to the channel logo portion of the ad. (The use of the word "typically"  
here, and elsewhere in this application, means "typically, but not necessarily.") The  
remaining portion of the Channel ad will typically be text only.

Displayed text will typically have the following characteristics:

- 30 available normal and condensed 18 and 24 point fonts
- oblique version of the fonts
- underlining
- bold
- centering
- 35 left and right justification
- color can be selected once per line
- Text could also be displayed as a 1 bit/pixel bitmap in the Panel ad areas only.

1

describing, among other things, additional information about the particular event involving the astronauts. The viewer uses the search engine offered by the contact web site to locate additional information about the same astronauts. At the subsequent web sites, a Discovery Channel program is mentioned concerning some of the same astronauts. The viewer instructs the EPG to locate any occurrence of the referenced program and to schedule that program to be recorded. In one embodiment, a PLUS CODE-like address is used to link to, or record, the scheduled program.

10 The viewer can search an index, available on the Internet and created by a news data service, of recorded television news programs and reports. The viewer can search the index. If the viewer selects one of the indexed reports, a video clip of the indexed report will be shown in the area on the screen occupied by the Internet web site display, or any alternate area or portion of the on-screen display. The viewer can instruct the EPG to record the video clip.

15 The EPG is capable of integrating additional information provided by the special data services into the EPG display. For instance, in the case of a sports data service, the EPG can format the program listing display and/or the sports scores for a game with special color coding depending upon the stage of the game. For instance, if the game is in progress, the EPG will format the program listing and/or the sports scores for that game with one color, *e.g.*, green; if the game is completed, the program listing and/or the final scores can be in a different color, *e.g.*, blue. If the game is in progress, the viewer can highlight and select the box score to move from the box score to the game shown on the television. In one embodiment, the selected television sports program appears in the PIP Window or the Ad Window, allowing the viewer to read the sports program-related story in the sports guide while watching the corresponding television sports program.

25 The EPG is further capable of linking between news items in a special news guide and related television programs. The viewer can link to a news program to watch or record that program by highlighting and selecting a news item in a news guide. In one embodiment, the selected television news program appears in the PIP Window or the Ad Window, allowing the viewer to read the story in the news guide while watching a tv news program that reports on the event.

30 In one embodiment, the VBI for selected channels are dedicated to the delivery of a special data service. For instance, the ESPN VBI would carry the sports data service only. In one embodiment, as an incentive to carry this data, the data service would display the ESPN TV program in the PIP window. Since the tuner must be set to ESPN to capture the data, the television signal is available for display in the PIP.

1

may be scheduled to air. The Watch feature operates much the same way as the Record feature, except that it tunes the television ("TV") to the show rather than recording it. If a user is watching TV, the channel automatically changes to a show placed in the Watch Schedule when the show begins. If the TV is turned off when a show in the Watch Schedule is scheduled to begin, the TV is turned on and tuned to the desired channel (TV implementations only, not VCR.) The user may select a watch frequency of once, daily or weekly. From an ad, the user presses the Left Action button (the Blue button labeled "Watch") to place the show in the Watch Schedule. In the event that the show is currently on, pressing the Left Action button while highlighting an ad results in tuning directly to the show. The show title is also placed in the Watch Schedule until the show ends in the event the user wishes to modify the watch frequency to daily or weekly.

Ads may have multiple levels of information. Typically, First Level Information is the ad copy and/or graphics that are presented on screen with no user action. This comprises the Panel and Channel ad areas.

Typically, Second Level Information (if provided by the advertiser) is automatically made visible ("Auto-Open") when the user highlights an ad block by scrolling onto it. This secondary information is presented in the info. box when a Channel ad is selected and in an automatically expanded version of the info. box that covers the entire channel grid area when a Panel ad is highlighted. The "i" icon on the ad, placed at the advertiser's discretion, indicates there is more information available for that ad. The second level information may be text and/or graphics depending on memory availability.

Typically, Third Level Information (if provided by the advertiser) availability is indicated by the info. button "i" on a Second Level information screen. Pressing the info. button accesses this information and cause the information box to expand for Channel ads to cover the entire grid area. This information can be multiple pages long. Pressing the info. button successive times cycles the user through the multiple pages. Pressing the info. button from the last available screen causes the information box to contract to its original size for all ads. The third level information may be text and/or graphics depending upon memory capabilities.

Ad Blocks can be dynamic. Memory permitting, the Panel ad graphics and/or text and information box text may change every  $X$  (where  $X$  is some number) seconds rotating through a limit of  $N$  (where  $N$  is some number) different graphical or textual executions. There is the capability to limit the number of dynamic ads displayed at any one time.

Ad duration and start time/end time can be scheduled and/or dynamic. In one embodiment, ads are to be displayed at a given start time with a related end time. The time between the start and end is the ad's duration. The minimum duration increment is typically

1 such guides/data services in a number of ways, including when the viewer highlights a particular program in the Grid Guide, the Ad Window, or a Virtual Channel Ad Slot. In one  
 5 embodiment, the EPG displays relevant detailed information in the detailed information area of the Grid Guide. In another embodiment, the EPG connects the viewer with an external database of information, such as with a particular web site on the Internet.

### 3. Panel ads.

10 In one embodiment, Panel ads occupy a fixed area in the Guide and are generally filled with paid advertisements. Located directly below the PIP in an Ad Window, space is available in the Guide for two Panel ads. Each Panel ad occupies approximately 1/9th of the total screen area. The usable area of a Panel ad is 132 pixels high x 160 pixels wide, with 2 pixel wide black borders all around and 2 pixels of gray on the left and right sides and  
 15 between the two ad spaces. When a given ad space is not sold, the space will be filled with a Placeholder ad, stored in ROM, and inserted in the available space, or with a bonus ad.

An advertiser may purchase both 1/9th screen areas, thus creating a single ad with a usable space of 270 pixels high by 160 pixels wide, with 2 pixel wide black borders all around and 2 pixels wide of gray on the left and right sides.

20 In one embodiment, all Guide screens are made up of "hard pages." A hard page is defined as an area comprising 9 channel slots. Each time a user scrolls below the 9\*x channel slot, a new "hard page" appears. Scrolling back up will bring the previous hard page back into view. Each hard page may have different Panel ads associated with it.

25 In one embodiment, Hard pages are defined differently in the Sort screens. Each sort category (e.g. Movies, Sports, Children's) will be considered one hard page regardless of the number of items in the list vertically. As the user moves *horizontally* from one category to the next, the Panel ads will change.

30 The number of hard pages available depends on the size of the user's lineup and the number of channels turned on or off. In the event that there are not enough channels to support the number of hard pages required for the number of Panel ads sold, not all Panel ads will be displayed. For example, assume that 4 pairs of Panel ads and 4 Channel ads are saved in memory. Additionally, assume a particular user has 20 active channels in his channel lineup. Then the ads would be displayed as follows:

35 Panel ad Pair 1 with channels 1-8 and the first Channel ad  
 Panel ad Pair 2 with channels 9-16 and the second Channel ad  
 Panel ad Pair 3 with channels 17-20 and the third and fourth Channel ads

1

control device pointer to the location of the Ad Window on the on-screen television monitor display. When the remote control device pointer is located at the Ad Window on the on-screen television monitor display, the on-screen display of the Ad Window will be highlighted. In one embodiment, the color of the Ad Window itself will become brighter or show a lighted effect. In another embodiment, the color of a border surrounding the Ad Window will become brighter or show a lighted effect. Highlighting the Ad Window will cause additional text describing the product to be displayed in the detail box area of the EPG Grid Guide. Alternatively, the EPG provides the producers of infomercials with the opportunity to provide the viewer with the opportunity to view a video clip about the product being advertised.

The Ad Window can be optionally interactive. The Internet address of a web site containing information relevant to the ad being displayed in the Ad Window can be displayed in the Ad Window as a web site address, as an icon, or in some other graphical presentation, such as a stylized "i" indicating additional interactive information. Furthermore, the viewer's interaction with the Ad Window will be monitored by the EPG to record as part of the viewer's profile.

## 2. Ad Window product-related recording

The EPG provides viewers the opportunity to access extended product information about which the viewer is interested. Because of the cost of buying advertising time, a growing number of product manufacturers and marketers produce infomercials about their products. Because of the cost of air-time, many manufacturers and marketers buy relatively inexpensive air time for their infomercials according to off-prime-time schedules, often on non-prime channels. The EPG provides the viewer the opportunity to record an infomercial that is broadcast at a time, or on a channel, that would be inconvenient for the viewer to watch real-time. If the Ad Window displays information about a particular product, pressing a record button will instruct the EPG to record an infomercial, to the extent that one is scheduled for a future time. Alternatively, the viewer can designate the infomercial for the Watch List.

## 3. Ad Window program-related recording

The EPG provides viewers with additional opportunities to instruct the EPG to record or watch a future-scheduled television program. The Ad Window can display information about a future-scheduled television program. If the viewer is interested in recording the program, the viewer can instruct the EPG to record the future-scheduled program. In one embodiment, the viewer presses record button on the remote control device to instruct the

1

In one embodiment, Panel ads can be dynamic. There are two areas which may be dynamic: 1.) the Panel ad space; and/or 2.) the Information box.

5

The Panel ad area may change over time, e.g., every *x* seconds rotating through a plurality of different graphical or textual ad executions in the Panel ad space. When a Panel ad is highlighted, the ad rotation stops on the currently displayed ad visual. The dynamic rotation does not restart until the Panel ad is de-highlighted.

10

The information box text associated with the Panel ad may change over time, e.g., every *y* seconds, rotating through a plurality of different screens of text. The screen rotation stops if the user presses the Info. Button, displaying the first page of info. text. This option is available for advertisers to rotate different headlines in the information box. The user may view subsequent pages by pressing the Info. button again. The screen rotation does not restart until after the Panel ad is de-highlighted.

15

#### 4. Virtual Channel Ad Slots.

20

The EPG provides producers of infomercials with extended capabilities to reach the viewers through Virtual Channel Ad Slots, also referred to as Channel ads. Virtual Channel Ad Slots appear as rows of the Grid Guide and typically show the titles of the programs that are scheduled for a particular channel. The EPG Grid Guide's Virtual Channel Ad Slots provide advertisement to be displayed as a row in the Grid Guides schedule of programs. The Virtual Channel Ad Slots may be used to provide multiple exposures of a particular program in the guide. The Virtual Channel Ad Slots act like a channel entry in the Grid Guide in that the viewer can record, watch, schedule for watching, and/or get information about the advertised program in the information detail box of the Grid Guide.

25

In FIG. 1 of the drawing, tile 52 shows an example of a Virtual Channel Ad Slot for an ad for a television program--it is a program listing that is out of place channel-wise and time-wise in the Grid Guide 22. That is, it does not appear in the usual channel position or time position in the guide, but the tile is otherwise like the other program listing tiles of grid guide 22 (including height), except that it occupies the entire width of the tile irrespective of the duration of the program. A tile for a normal program listing scrolls off the screen as the up and down arrow keys are pressed. In contrast, in one embodiment, a Virtual Channel Ad Slot, such as shown in tile 52, remains on the screen at all times as the up and down arrow keys are pressed, so the ad remains in view at all times.

30

35

Channel ads do not occupy a fixed area. Channel ads are essentially inserted between channels in the grid. If there are no Channel ads sold, the grid will simply be a continuous list of channels/show tiles with no gaps. As these channel ads take up a channel slot in the grid, it is desirable to limit how many are likely to appear on any one screen to ensure the



continues to view an advertisement rather than changing channels. The EPG calculates and records the entire duration of the time that the television is on in any particular day.

The EPG also records information surrounding the viewer's interaction with external sources of information, such as the Internet. For instance, the EPG records each search query criteria initiated by the viewer, the Search Engine used to make the search, the items selected by the viewer from the search response, interaction by the user with Internet sites, and viewer interactions with the EPG during the same time-frame as the viewer interacts with the Internet.

An alternative to the above-described individual viewer profile information collection would be to provide on-screen survey queries. That is, the EPG could display an offer on-screen that would tell the viewer to call a toll-free number for the purpose of reading an on-screen encrypted number for the survey in exchange for a gift certificate. The offer could be made only to viewers watching a particular program or particular advertisement at a particular time. Survey responses would provide useful information further survey customization, customizing the guide, and targeting advertising.

## 2. Analyzing and characterizing viewer profile information.

The viewer profile information (data collected concerning, and surrounding, a viewer's interaction with the television, the EPG (including the recording and watching functions), the Internet, the World Wide Web, and any other sources of information external to the EPG, but through which the viewer interact)) can be sent to a computer at the head end of television distribution for analysis, or in the alternative, can be analyzed by the EPG.

Information about the viewer is captured on an ongoing basis. Similarly, viewer profile data is updated on an ongoing basis. Accordingly, the viewer profile analysis program (the "Profile Program"), can be repeated at some time interval to incorporate additional information about the viewer that has been captured since the last analysis. Alternatively, the Profile Program is a real time program that processes each discrete item of information about a viewer as the data is captured.

The viewer profile analysis program (the "Profile Program"), may be resident at the head end, in the Internet, included as part of the EPG, or distributed among these various possible locations. The Profile Program performs a variety of different types of analysis on the viewer profile data. For instance, the Profile Program performs simple statistical analysis of the data collected. The Profile Program accumulates, among other things, the number of times that the viewer: interacted with the EPG during a particular viewing session; performed particular types of interactions with the EPG; watched a particular channel; interacted with the Internet during a particular viewing session, interacted with a particular website; watched

1

light/bright red when highlighted). When a Channel ad show is scheduled to watch, the border turns orange (dark orange when not highlighted, light/bright orange when highlighted).

5 In one embodiment, Channel ads can have multiple, sequential info. box "screens" of information. The availability of this additional information is indicated by an "i" icon. The user can access the additional information by pressing the info. button.

In one embodiment, if a Channel ad is highlighted, has show information associated with it, and the advertised show is currently on, the user may tune directly to the related  
10 program by pressing the Left Action button (the Blue button which is labeled "Watch") or by pressing the Enter/Select button on the remote. Pressing the Watch button also places the show in the Record/Watch Schedule for the duration of the show. If the show is not currently on, pressing the Left Action button places the show in the Record/Watch Schedule for future auto-viewing; pressing the Enter/Select button tunes to the channel related to the show in the  
15 Channel ad. Shows added to the Record/Watch Schedule may be set to be viewed: once, daily, or weekly. The Watch feature and related Action button labels operate in the same way as if scheduling a show to watch from the Grid.

In one embodiment, if a Channel ad has show information associated with it, the show may be recorded by highlighting the ad and pressing the Right Action button (the Green  
20 button, labeled Record). If the show is already being delivered in the television signal, recording begins immediately and the show is placed in the Record/Watch Schedule for the duration of the show. If the show is on in the future, the show is added to the Record/Watch Schedule for recording. Shows added to the Record/Watch Schedule may be set to be recorded: once, daily, or weekly. The Record feature and related Action button labels operate  
25 in the same way as if recording a show from the Grid.

Channel ads can be dynamic.

### 5. **Placeholder Ads**

In one embodiment, when the Guide is first setup, the initial download of information  
30 will not have been received. The Panel ad spaces must be filled with Placeholder ads that are stored in ROM. These ads must be "timeless" as they will appear each time a TV is set up, either for the first time or after a power outage.

One use for the Panel ad space is for help text. Help text that draws the user to select the ad space could serve as a "tutorial" on how to access Panel ads, the additional information  
35 on info. screens, and how to Watch and Record from ads.

1  
chronological age, activity age, whether the viewer is married, whether the viewer has  
children, whether the viewer has a pet and what type of pet the viewer likely has, whether the  
5 viewer is interested in buying a particular type of appliance, whether the viewer is  
considering buying a car, the viewer's likely political affiliations, and a broad range of  
various other Viewer Characteristics.

Yet further, the Profile Program analyzes an individual's Viewer Profile as compared  
to the Viewer Profiles of others. With this cross-comparison analysis, the Profile Program  
10 can determine the likelihood that the subject viewer will prefer or be interested in a particular  
subject, product, theme, movie, episode, etc. based on comparisons to similar Viewer  
Profiles.

15 **I. UTILIZATION OF VIEWER PROFILE INFORMATION TO CUSTOMIZE VARIOUS ASPECTS  
OF THE EPG**

The EPG and Profile Program use the basic viewer profile data, the simple statistics  
collected about a particular viewer, Viewer Preferences and Viewer Characteristics  
(collectively, hereinafter, the "Viewer's Profile") to customize various aspects of the EPG.  
The viewer has the option to block any of these automatic customization features in the EPG  
20 Setup Mode. One aspect of the EPG that will be customized is the order of the channel slots  
presented in the Grid Guide. The order in which the channel slots are presented can be  
customized to present the viewer's favorite channels at the top/beginning of the Grid Guide  
in descending order according to the Viewer's Profile.

In one embodiment, the order of the channel slots is customized according to the day  
25 of the week and the time of day in accordance with the Viewer's Profile. For instance, if a  
particular viewer frequently watched Nick at Nite on weekday evenings from 7pm to 10pm,  
then the EPG automatically tunes the television when turned on between 7 pm and 10pm, to  
the appropriate Nick at Nite channel and formats the Grid Guide to show the Nick at Nite  
channel as the first channel in the Grid Guide. If the same viewer typically watched ESPN  
30 during daytime hours on Saturday and Sunday, then the EPG automatically tunes the  
television when turned on between, e.g., 7 am through 7 pm on Saturday and Sunday to one  
of the ESPN channels and formats the Grid Guide to show the ESPN channels as the first  
several channels in the Grid Guide whenever the viewer enters the Grid Guide between, e.g.,  
7 am through 7 pm on Saturday and Sunday.

35 At the viewer's option, the EPG and Profile Program use the basic viewer profile  
data, the simple statistics collected about a particular viewer, Viewer Preferences and Viewer  
Characteristics to perform automatic surfing. At the viewer's option, auto surfing can be  
performed during real-time advertising telecasts. At the viewer's further option, auto surfing

1

Background colors will have an impact on the overall look and usability of the Guide. The following describes a typical embodiment.

5

Panel ad background colors may be selected by the advertiser and will typically be subject to luminance constraints set forth below.

10

Channel ad background colors may be restricted.. Show tile background colors are used as keys for show categories (movies, sports, etc.) and actions taken on a show (set to record or watch). While most any background color could be displayed it is desirable to maintain the integrity of the show tile color schemes. Therefore, it is likely that a limited set of background colors or a set of colors which can not be used will be specified for advertising agencies to use when developing Channel ad creative. Channel ad backgrounds will typically be subject to luminance constraints set forth below.

15

The Info. box background will typically be gray and typically can not be changed by the advertiser.

20

There are typically limitations on the luminance of the colors in the ads. If the luminance is set too high, the screen image will blister. These limitations will be set, according to the embodiment, and communicated to the advertisers for their development consideration. Ads that do not comply with luminance restrictions for the particular embodiment will be subject to default override limitations.

25

In one embodiment, the viewer can interact with the ads and the television. For instance, Tune-in ads will allow the viewer to tune directly to a show in progress from a highlighted ad block assuming the ad block has program information associated with it. An in progress show associated with an ad is directly tuned by pressing either the Enter/Select button or the Left Action button (the Blue button labeled "Watch").

30

Direct-record ads will allow the user to record a show in progress or scheduled to be on in the future from a highlighted ad block. There is no practical limit on how far into the future a direct-record associated show may be scheduled to air. A show associated with an ad is recorded by pressing the Right Action button while the ad is highlighted. The user may select a record frequency of once, daily or weekly. From an ad, the user presses the Right Action button (the Green button labeled "Record") to place the show in the Record Schedule. In the event that the show is currently on, pressing the Right Action button while highlighting an ad allows recording of the show in progress. The show title is also placed in the Record Schedule until the show ends in the event the user wishes to modify the record frequency to

35

daily or weekly.

Watch ads consist of a program advertised in any ad space. The program advertised may be placed into the Watch Schedule as long as the ad block has program information associated with it. There is no practical limit on how far into the future an associated show

1

sent with the scores is used to order the score in the sports guide consistent with the Viewer's Profile. For instance, the score for a game involving the Boston Red Sox would display the scores for the Red Sox first for a viewer in Boston.

During set up procedures, the EPG provides for automatic channel map selection. All channel maps in the viewer's zip code are downloaded. Zip code related options are displayed. In one embodiment, the viewer is asked to identify information necessary for the television to select the appropriate channel mapping option, but the television automatically selects the appropriate channel map. For instance, the viewer is asked to identify, e.g., the distribution service to which the viewer subscribes, e.g., Colonial Cable, and a particular channel map, e.g., does the viewer receive HBO on channel 43. In this way, the viewer identifies the information necessary for the television to select the appropriate channel map. Alternatively, the viewer is actually asked to select the channel map, e.g., "if you have Colonial Cable and get HBO on channel 43, pick this channel map."

**J. UTILIZATION OF VIEWER PROFILE INFORMATION TO PROVIDE CUSTOMIZED PRESENTATION OF ADVERTISING TO THE VIEWER**

The EPG and the Profile Program use Viewer Profile information to tailor the presentation and scheduling of advertisements to the viewer and to customize the presentation of the EPG for the user. For instance, the EPG uses Viewer Profile information to determine whether to notify the viewer about scheduling for a program involving the viewer's favorite team, a talk show involving a star player from that team, etc. The EPG is capable of such customized notification/advertisement through e.g., an advertisement in the Ad Window, or through an advertisement in a Virtual Ad Channel Slot.

Additionally, the EPG and the Profile Program use Viewer Profile information to customize the presentation and/or scheduling of telecast advertisements that are viewable during the real time telecast of the television program that the viewer is watching. One example is customizing an overlay message to an advertisement on a local geographic basis. For instance, the EPG knows the geographic location of the individual viewer. The broadcaster can packet match on the zip code to customize the message so each zip code gets a different message, i.e., the 3 Burger Kings in the viewer's local area. In one embodiment, the customized messages can be preloaded by zip code into the memories of particular viewers' EPG's. The preloaded messages can be transmitted by a head end during off hours and stored in the viewer's terminal for use when the advertisement runs, e.g., during a television program or in a video clip in the Ad Window. The electronic trigger to run the message can be transmitted along with the television signal in real time and can identify the messages stored in the user terminal that need to be applied.

1

60 seconds. In one embodiment, an ad will not be replaced automatically when an ad's end time arrives. Ads will only change when the user's actions cause a new "hard page," or new  
 5 section of the guide to appear (e.g. going from the Grid to Sort).

Ads can rotate. For example, different ads can appear each time the user enters the same page/section of the Guide. There is no hard limit on the number of ads placed in rotation. Ads can be assigned a priority with the ad of the highest priority being displayed the first time a hard page or section is accessed. Then the second priority ad is displayed the  
 10 next time the user views this page and so forth. The priority counter is page dependent, meaning that if the user views the first page for a third time, they will see the third priority ad on that page and if they then scroll to the second page for the first time, they will see the first priority ad on the second page.

Ads may differ by the section of the Guide being viewed. For example, if a user is  
 15 viewing the Sports theme area, an ad for ESPN Sports Center may appear, whereas a different ad was presented when the user was on the main grid.

The EPG can determine which advertisements to display depending upon the advertisement being displayed on the television channel that the viewer was watching immediately before entering the EPG. That is, if a Toyota advertisement was being shown  
 20 on the channel that the viewer was watching at the time that the viewer entered the EPG, then the EPG can be timed to display a correlative Toyota advertisement in some portion of the EPG, e.g., the Ad Window, a television program.

In one embodiment, the EPG tests the Viewer Profile to determine which ad to display at various times during the viewer's session with the EPG. The EPG can assign Ad  
 25 and Page priorities to represent the advertisers' investment and the relative viewer's profile.

Graphically dynamic ads typically present different graphics every  $x$  seconds (where  $x$  is some number, with  $x$  as small as 1.0 second) rotating through  $n$  (where  $n$  is some number) graphical or textual executions. Typically, only a limited number of these ads will be displayed at any one time (likely a maximum of 1 per screen) as busy screens will decrease  
 30 the effectiveness of the ads and the utility of the Guide.

Ads must be "identifiable" and "accessible" once placed in memory in order to allow advertisers to "pull" an ad, to update an ad, or to correct errors in transmission.

## G. IMPROVED PRODUCT INFORMATION ACCESS BY THE VIEWER

35

### 1. Ad Window product detail.

The viewer can highlight the Ad Window to locate additional information about the product advertised. In one embodiment, the viewer highlights the Ad Window by pressing the arrow/directional navigational keys of the remote control device to navigate the remote

viewer who has been watching Major League Baseball enters the EPG, the EPG might display an advertisement for Goodyear Tires.

5 In one embodiment of this invention, a data base of advertising messages and virtual channel ads is stored in RAM at the viewer terminal or is accessible at a web site if the viewer terminal has an Internet connection. In either case, the advertising items in the data base are labeled with coded categories that correspond to coded category labels assigned to the telecast television programs. (Preferably, these are the same categories that are used to sort the  
10 programs in the on screen category or theme guide.) The category labels of the television programs could be stored in RAM as part of the EPG data base and retrieved from the applicable Show Information Package ("SIP") based on the information from the real time clock and the tuner setting. This information identifies a time and channel that points to the applicable SIP. After the category label of the last program the viewer was watching in the  
15 television mode is retrieved from the EPG data base, this label is matched to the corresponding label in the data base of advertising messages and virtual channel ads stored in RAM. In FIG. 1 of the drawing, the advertising items to which the labels are attached are displayed in ad windows 14 and 16 and the virtual channel ad displayed on tile 52 as described above.

20 Yet another way that the EPG uses Viewer Profile information is in connection with "adjacent-content" customization of the advertising messages displayed by the EPG. Viewer Profile information will include identification of the content that the viewer has currently highlighted in the EPG or related data service. Using this method, the EPG displays different advertisements depending upon, *e.g.*, which show the viewer has currently highlighted in the  
25 Grid Guide, what sport is highlighted in a sports data service, or what type of news is highlighted in a news service (international, local, etc.).

The EPG can select advertisements from various possible locations, including but not limited to: a library of advertisements stored at the viewer's terminal in RAM that have been  
30 downloaded through the VBI, stored at the head-end, or accessible through an EPG link to the Internet/World Wide Web. The advertisements may be in the form of graphics, text, video clips, audio clips, and combinations thereof. Each advertisement can be assigned theme codes, profile codes, and other selection intelligence. In one embodiment, in order to customize the advertising display, the EPG searches the library of available advertisements to locate advertisements that match criteria set by the advertisers for "access content,"  
35 "adjacent content," and/or Viewer Profile information. In another embodiment, the EPG selects advertisements for display according to pre-established selection criteria.

The disclosures of the following patent applications are incorporated fully herein by reference: International Application WO96/07270; Application No. 60/053,330 filed July 21,

1

EPG to record the future-scheduled program. Alternatively, the viewer can instruct the EPG to add program to the Watch List. Alternatively, the viewer can view a video clip about the program.

5

## H. CREATION OF A VIEWER'S PROFILE

### 1. Collecting viewer profile information.

The EPG requests that the viewer provide certain profile information, including but not limited to: the viewer's zip code; television, cable, and satellite services to which the viewer subscribes; the length of said subscriptions; the type of television; the age of the television; where the television was purchased; the viewer's top favorite channels; the viewer's favorite types of programs; and the times during which the viewer is most likely to watch television. If the viewer declines to provide this information, the EPG will attempt to "learn" the information as described below.

15

In one embodiment, the EPG is capable of distinguishing between individual viewers and develops individualized profiles. For instance, in one embodiment, each viewer has an individual PIN or other identification number. In another embodiment, each viewer uses an individualized remote. In yet another embodiment, there is an absence of a way to distinguish one viewer from another. In that case, the profile is developed for the "family."

20

Every time the viewer interacts with the EPG or the television, the EPG records the viewer's actions and the circumstances surrounding those actions. For instance, when the viewer changes channels, the EPG records, among other things, information about the first channel, the changed-to channel, the time that the change was made, the identification of the programming that was displayed on the first channel, the identification of the programming that was displayed on the changed-to channel, the time of the change, the identification of any advertisement that was displayed on the first channel at the time of the change, the identification of any advertisement that was displayed on the changed-to channel, and whether the viewer changed channels while in one of the EPG modes, as opposed to being in the television mode. The EPG will also record every instruction by the viewer to record or watch a program, whether the instruction is Once, Daily, Weekly, or Regularly. The EPG will also record whether the viewer changes the volume of the television audio, and if so, what circumstances surrounded the change in volume. If the viewer changes channels while in one of the EPG modes, then the EPG records information about what was displayed in each of the windows of the EPG UI before and after the change.

35

The EPG also records information when there is an absence of interaction between the viewer and the television or the EPG. For instance, the EPG will record whether a viewer



1

programs entered into a "record-watch list" as shown in FIG.6 is recorded; and the results are analyzed to decide which advertisement to display.

5

The time of the monitored event can also be taken into account in order to distinguish between multiple users of the same EPG or related television receiver. The assumption is that the people using the EPG and watching television at different times of the day have different interests--housewives may use the EPG more in the morning, children may use it in the early evenings, and men who work outside the home may use it on Sunday afternoons.

10

History of use as described above can be combined with the "access-content" model described in Application No. 60/055,237 to further pin-point advertisements to the user's interests. Thus, if the users of the particular EPG selected comedies as a theme more frequently than any other theme during a prescribed period of time, three advertisements might be flagged and the final selection made therefrom depending upon which type of

15

### **Illustrative Embodiments**

The embodiments of the invention described herein are only considered to be preferred and/or illustrative of the inventive concept; the scope of the invention is not to be restricted to such embodiments. Various and numerous other arrangements may be devised by one skilled in the art without departing from the spirit and scope of this invention. For example, alternative display formats are possible.

20

25

30

35

1

and/or recorded and/or scheduled to watch a program with a particular type of theme (e.g., comedy, sports, drama, movie, sitcom, science fiction, adventure, mystery, documentary, cooking, travel, etc.); and watched and/or recorded and/or scheduled to watch a program with a particular type of subject (e.g., golf, tennis, football, basketball, baseball, animals, food, etc.), or a particular actor or actress. The Profile Program also calculates the duration of each viewing and compiles, among other things, statistics about the times of day and days of the week during which the viewer watches television, interacts with the EPG, or interacts with the Internet or the World Wide Web.

10

Using the basic viewer profile data and the simple statistics collected about a particular viewer, the Profile Program "learns" to recognize a finer breakdown about the various types of data collected and then uses the learned information to describe a "Viewer Preference." For instance, if the Profile Program detects that the viewer watches sports programs, and that a number of sports programs are basketball games, the Profile Program analyzes the teams involved in the programs watched. The Profile Program is able, in this manner, to determine whether the viewer is a fan of a particular team. If so, the Profile Program records the viewer's team affiliation as a Viewer Preference.

15

The Profile Program performs multiple levels of sophisticated analysis and learning involving numerous comparisons of the basic viewer profile data and the simple statistics collected about a particular viewer to develop Viewer Characteristics. In this way, the Profile Program develops a multi-dimensional profile of the viewer. For example, once the Profile Program detects a Viewer Preference, the Profile Program compares, e.g., the number of times that the viewer interacts with the EPG or an external information source such as the Internet/World Wide Web, during a telecast of a program that relates to the Viewer Preference (e.g., a basketball game involving the viewer's favorite team) with, e.g., the number of times that the viewer interacts with the EPG or an external information source such as the Internet/World Wide Web, during a telecast of a program that does not relate to the Viewer Preference.

20

25

30

Further, the types of interactions in both sets of circumstances are analyzed. In this way, the Profile Program determines Viewer Characteristics relating to, among other things: attention span; general interest in product advertisements; interest in specific types of product information; propensity for impulse buying; correlation of impulse buying habits to price ranges, product types, and advertising formats; interest in recording and/or watching future-scheduled programs; interest in accessing additional levels of information concerning television programs; and interest in accessing additional levels of information concerning product advertisements including the correlation of such interest with the Viewer Preferences. Over time, with sufficient data, the EPG characterizes the viewer's sense of humor.

35

1

9. The method of claim 1, in which the moving step highlights the advertisement by display of a border around the second area.

5

10. The method of claim 9, in which the moving step highlights the one program by display in a color that contrasts with the other programs.

10

11. A microprocessor programmed to operate with a display monitor having a screen and a RAM so as to generate signals that display television program listings stored in the RAM in a first area of the screen and other text or images stored in the RAM in a second area of the screen horizontally adjacent to the first area, the second area being divided into third, fourth, and fifth vertically arranged areas each of the third, fourth, and fifth areas having the same height-to-width aspect ratio as the screen and 1/9 the area of the screen.

15

12. The microprocessor of claim 11, additionally programmed so as to generate signals that highlight one of the program listings in the first area.

20

13. The microprocessor of claim 12, additionally programmed to set a television tuner so as to generate signals that display in the third area the current television program represented by the highlighted program listing.

25

14. The microprocessor of claim 13, additionally programmed so as to generate signals that display an advertisement for a future television program in the fourth area.

15. The microprocessor of claim 14, additionally programmed so as to generate signals that display an advertisement for a product or service in the fifth area.

30

16. The microprocessor of claim 14, additionally programmed to generate signals that link to an Internet website and display images from the website in the fifth area.

35

17. A television system comprising:  
a display monitor having a screen;  
a tuner;  
a microprocessor configured to display television program listings in a first area of the screen and an advertisement in a second area of the screen; and  
means for linking an Internet website to the microprocessor to display one or more still images or video in the second area of the screen.

1

can be performed in PIP Watch Function, allowing the viewer to watch the program currently tuned in the main Picture Window, while providing auto surfing in the PIP Window. Alternatively, at the viewer's option, auto surfing can be performed in PIP Watch Function, allowing the viewer to watch the program currently tuned in the PIP Window, while providing auto surfing in the Main Picture Window. Still further, the viewer can choose the option of selecting a different advertisement to watch, or manually surfing channels of the viewer's choice.

At the viewer's option, the EPG and Profile Program use the basic viewer profile data, the simple statistics collected about a particular viewer, Viewer Preferences and Viewer Characteristics to populate the Record List and/or the Watch List with programs that are likely to suit the viewer's interests. In one embodiment, searches for this type of information are conducted at a central computer at the head end. In another embodiment, queries are constructed and fed to an Internet search engine.

At the viewer's option, the EPG and Profile Program use the basic viewer profile data, the simple statistics collected about a particular viewer, Viewer Preferences and Viewer Characteristics to search for news stories that are likely to suit the viewer's interests. The problem that is solved is automatically (without an editorial staff) choosing news stories from multiple news feeds for display to a particular viewer in a news service. The content of the audio portion of the news broadcast is digitized and can be stored at a central computer, on one or more web sites, on DVD's (both video and audio recordings) local to the particular viewer's television system, or in memory at the particular viewer's television system. In addition to the audio content, video recordings of the news stories can also be stored.

The Viewer's Profile, and in some embodiments, specific input from the viewer, is then used to construct data-mining search queries to locate and deliver content that matches the viewer's profiled interests and/or the viewer's specific requests for information. The news stories are then indexed (as described elsewhere in this disclosure). The EPG presents the viewer with the customized index. In this way, the viewer selects the news stories for viewing in much the same way as the viewer selects television programs that the viewer wants to watch or record. Furthermore, web sites containing additional information concerning the indexed news stories can be posted, e.g., as part of the detailed description area text presented at the time that the viewer highlights a particular news story for viewing.

In one embodiment, Theme Guides provide "Smart Sorting" based on the Viewer's Profile (which is explained more fully elsewhere in this application). That is, if a program is on two channels, the system will select the best channel based on which of the two channels the viewer watches more often. In one embodiment, the Theme Guides are further customized according to the Viewer's Profile. For instance, an information broadcast packet

1

22. The interactive television system of claim 21, further comprising:

5 means for identifying a plurality of addresses for data sources, including data source addresses on a computer network such as the Internet or the World Wide Web, with data related to said advertising data;

means for selecting one or more of the said identified plurality of addresses for data sources with data related to said advertising data;

10 means responsive to said data source address selection for establishing a link to the corresponding data source, including data source addresses on a computer network such as the Internet or the World Wide Web;

means for displaying data from a plurality of said selected data source addresses on said display monitor in viewable form.

15 23. The interactive television system of claim 21, further comprising:

means for collecting data pertaining to viewer interactions with the television and with the EPG, including but not limited to viewer television watching characteristics, viewer selections from the EPG, viewer interactions with the Internet, and/or viewer interactions with the television remote control device;

20 means for storing said collected viewer interaction data.

24. The interactive television system of claim 23, further comprising:

means for customizing the content of advertisements in the on screen EPG display of advertising data according to said collected viewer interaction data.

25

25. The interactive television system of claim 23, further comprising:

means for customizing the timing and scheduling with which advertisements are presented in the on screen EPG display of advertising data according to said collected viewer interaction data.

30

35

1


5 In another embodiment, the customized messages are narrowcast with the televised advertisement. One way to narrowcast the customized messages is to embed the customized information in the advertisement video stream. Another way is to transmit a digital "watermark" in the video stream of the advertisement.

10 In one embodiment, customization of real-time viewing of advertisements is achieved by providing multiple channels of advertising, by tuning the television automatically to a particular advertising channel at the time during the telecast of the television program during which an advertisement is scheduled to occur, and by then tuning the television back to the viewer's chosen television program at the conclusion of the advertisement. In another embodiment, a service monitors telecasts for advertisements as they are telecast on a particular channel and inserts a change channel command in the Vertical Blanking Interval (the "VBI") when an ad is telecast, said change channel command causing the television to  
15 tune to a particular channel for a telecast of an advertisement suitable to the Viewer's Preferences.

Viewer Profile information can be reported, as with, for instance, statistical reports of Viewer Profile information for many viewers. These reports could be provided for analysis by advertisers, head end operators, Guide producers, or others, to determine, among  
20 other things, marketing customization opportunities, narrowcasting opportunities, program detail information requirements, and program distribution scheduling requirements.

The EPG will attempt to capture the approximate initial purchase date (e.g., first turn-on date) of any television/entertainment system components. The EPG can notify the user at the appropriate time after the initial purchase of opportunities such as purchasing an extended warranty from the manufacturer. In one embodiment, the terminal equipment is  
25 separately addressable providing that such notification messages can be sent in the VBI to the appropriate viewer. Based on the Viewer Profile, the extended warranty offer could be tailored to the viewer's financial situation.

Another way that the EPG uses Viewer Profile information is in connection with  
30 "access-content" customization of the advertising messages displayed by the EPG. Viewer Profile information will include the television program that the viewer was watching immediately before entering the EPG. The EPG can display different ads in the Guide or Service based upon the content of the television program that the viewer was watching before entering the EPG or one of the special data services accessible through the EPG. The  
35 "access-content" advertising strategy provides a much more refined way of targeting the consumer. For example, consider two viewers who are both watching television at 8:00 p.m. on a Tuesday night. When the one viewer who has been watching "Nova" enters the EPG, the EPG might display an advertisement for educational computer; whereas when the second

*FIG. 2*

1997; Application No. 60/061,119 filed October 6, 1997; and Application No. 60/055,237 filed August 12, 1997.

5 In one embodiment, the advertisements in the library are assigned to themes; the history of use of an on-screen theme menu or program guide is recorded; and the history is analyzed by the EPG microprocessor to decide which advertisement to display.

For example, a particular advertisement for automobiles might be assigned to a sports event theme. In a simple implementation, this automobile advertisement would be selected  
10 for display, if the users of the particular EPG selected sports as a theme more frequently than any other theme during a prescribed period of time. FIG. 7 represents the on screen display for the top level theme screen; and FIG. 8 represents the on screen display for the second-level theme screen. A theme selection could be recorded when a viewer highlights a theme in FIG. 7, such as "Sports". Selecting a theme brings up a screen listing, by time, channel,  
15 and title, of the programs that are consistent with the selected theme on a second-level theme screen, an example of which is shown in FIG. 8. The history of use could be recorded in a memory by overwriting the oldest data stored in the memory. If desired, a more sophisticated analysis could be used. Thus, the frequency of selection could be weighted to favor more recent selections over older selections or themes could be combined to determine which  
20 advertisement to display.

In another embodiment, the advertisements in the library are assigned to particular television programs or classes of television programs; the history of use of the information box of the EPG is recorded, in terms of frequency of the visits, time spent during a single visit, and/or total time of all the visits; the information boxes are correlated to the television  
25 programs, and the results are analyzed to decide which advertisement to display. Instead of the information box, any other area of the EPG screen could be monitored in similar fashion to decide which advertisement to display. In each case, the advertisements in the library are assigned to the types or subjects of information displayed in the monitored area so as to target better the advertisements to the interests of the users.

30 In another embodiment, the advertisements in the library are also assigned to particular television programs or classes of television programs in terms of channel and time; the tuner is monitored; the channel and time are correlated to the television programs, and the results are analyzed to decide which advertisement to display. For example, an advertisement for brand name athletic shoes with a popular basketball star could be assigned to basketball  
35 programs. The shoe advertisement would be selected for display if the viewer of the particular EPG entered the EPG while watching a basketball game.

In another embodiment, the advertisements in the library are also assigned to particular television programs or classes of television programs; the history of television



1

## CLAIMS:

- 5           1.       A method for navigating about an on screen television interactive program guide comprising the steps:  
              displaying a list of television programs vertically in a first area of a screen of a display monitor;  
              displaying an advertisement in a second area of the screen located horizontally adjacent to the first area;  
10           moving an on screen cursor vertically to highlight one of the television programs in the first area; and  
              moving the cursor horizontally from the first area to the second area to highlight the advertisement.
- 15           2.       The method of claim 1, additionally comprising the step of activating a function with respect to the highlighted advertisement.
3.       The method of claim 2, in which the function is displaying on the screen details about the highlighted advertisement.
- 20           4.       The method of claim 3, in which the details are displayed in the second area instead of the advertisement.
5.       The method of claim 3, in which the details are displayed in a third area of the screen different from the first and second areas.
- 25           6.       The method of claim 2, in which the advertisement promotes a future television program and the function is storing the time and channel of the future television program for later recording or viewing.
- 30           7.       The method of claim 2, in which the function is establishing a link to an Internet website for display of still images or video on the screen in the second area instead of the advertisement.
- 35           8.       The method of claim 2, in which the function is establishing a link to an Internet website for display of still images or video in a third area of the screen different from the first and second areas.

<p><b>10:03PM</b></p> <p style="text-align: center;"><b>PIP WINDOW</b></p> <p>DISPLAYING REAL TIME VIDEO FOR LAST CHANNEL VIEWED</p>	<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> <p><b>LOCK</b> <input type="radio"/></p> <p>THE PICTURE IS UNLOCKED</p> </div> <div style="text-align: center;"> <p><b>GRID</b> <input checked="" type="checkbox"/> <b>SORT</b> <input type="checkbox"/> <b>SCHEDULE</b> <input type="checkbox"/> <b>MESSAGES</b> <input type="checkbox"/></p> </div> </div> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 10%; text-align: center;">SAT</th> <th style="width: 10%; text-align: center;">9:00PM</th> <th style="width: 10%; text-align: center;">9:30PM</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">LAST CHANNEL</td> <td colspan="3" style="text-align: center;">EARLY EDITION</td> </tr> <tr> <td style="text-align: center;">ABC</td> <td colspan="3" style="text-align: center;">MISS AMERICA PAGEANT</td> </tr> <tr> <td style="text-align: center;">FOX</td> <td colspan="3" style="text-align: center;">AMER. MOST WANTED</td> </tr> <tr> <td style="text-align: center;">CBS</td> <td colspan="3" style="text-align: center;">EARLY EDITION</td> </tr> <tr> <td style="text-align: center;">MTV</td> <td colspan="3" style="text-align: center;">SPICE GIRLS CONCERT TONIGHT</td> </tr> <tr> <td style="text-align: center;">UPN</td> <td colspan="3" style="text-align: center;">WALKING TALL</td> </tr> <tr> <td style="text-align: center;">PBS</td> <td colspan="3" style="text-align: center;">ON GOLDEN POND</td> </tr> <tr> <td style="text-align: center;">AMC</td> <td colspan="3" style="text-align: center;">REMEMBER... YOUNG PHILA...</td> </tr> <tr> <td style="text-align: center;">ESPN</td> <td colspan="3" style="text-align: center;">COLLEGE FOOTBALL</td> </tr> </tbody> </table>		SAT	9:00PM	9:30PM	LAST CHANNEL	EARLY EDITION			ABC	MISS AMERICA PAGEANT			FOX	AMER. MOST WANTED			CBS	EARLY EDITION			MTV	SPICE GIRLS CONCERT TONIGHT			UPN	WALKING TALL			PBS	ON GOLDEN POND			AMC	REMEMBER... YOUNG PHILA...			ESPN	COLLEGE FOOTBALL		
	SAT	9:00PM	9:30PM																																						
LAST CHANNEL	EARLY EDITION																																								
ABC	MISS AMERICA PAGEANT																																								
FOX	AMER. MOST WANTED																																								
CBS	EARLY EDITION																																								
MTV	SPICE GIRLS CONCERT TONIGHT																																								
UPN	WALKING TALL																																								
PBS	ON GOLDEN POND																																								
AMC	REMEMBER... YOUNG PHILA...																																								
ESPN	COLLEGE FOOTBALL																																								
<p style="text-align: center;"><b>AD WINDOW 1</b></p> <p>DISPLAYING PANEL AD</p>	<div style="border: 1px solid black; width: 100px; height: 100px; margin: 0 auto; text-align: center; line-height: 100px;"> <b>I</b> </div>																																								
<p style="text-align: center;"><b>AD WINDOW 2</b></p> <p>DISPLAYING PANEL AD.</p>	<div style="border: 1px solid black; width: 100px; height: 100px; margin: 0 auto; text-align: center; line-height: 100px;"> <b>I</b> </div>																																								

*FIG. 4A*

1

18. The television system of claim 17, additionally comprising means for linking  
an Internet website to the microprocessor to transmit the program listings for display in the  
5 second area of the screen to the microprocessor.


19. An interactive television system comprising:  
means for receiving a television signal that carries a plurality of channels of video  
programs:  
10 a display monitor for displaying said video programs, graphics and other viewable  
information:  
means for selecting one of the channels carried by said television signal for display  
of a video program on said display monitor:  
a memory in which multiple types of data are stored, including a data base of  
15 television scheduling data and a data base of advertising information:  
means for storing said data base of television scheduling data and said data base of  
advertising information in said memory:  
means for simultaneously formatting and displaying said television video program,  
said television scheduling data as an on screen electronic television program guide, and said  
20 advertising information on said display monitor:  
means for selecting one of the displayed program titles from display of said on screen  
electronic television program guide for display on said display monitor:

20. The interactive television system of claim 19, wherein the data base of  
25 advertising information further comprises:  
packets of data relating to the product being advertised, including graphic data, and/or  
textual data, and/or video data, and/or audio data:  
timing and correlative relationship data defining presentation and formatting  
relationships, sequencing, and timing of said graphic, textual, video, and audio data.

30

21. The interactive television system of claim 20, wherein said simultaneously  
formatting and displaying means further comprises:  
means for displaying in a first fixed position window on said display monitor the  
video signal carried by said selected channel:  
35 means for displaying in a second fixed position window on said display monitor the  
advertising data in viewable form.

**This Page Blank (uspto)**



**This Page Blank (uspto)**

<b>10:03PM</b>  <b>PIP WINDOW</b>  DISPLAYING PANEL AD VIDEO FOR LAST CHANNEL VIEWED	<div style="display: flex; justify-content: space-between; border-bottom: 1px solid black; margin-bottom: 10px;"> <span>O WATCH</span> <span>O RECORD</span> </div> <p><b>REMEMBER WENN: WENN SUPPLIES</b> PROGRAMMING TO A RIVAL STATION.</p> <div style="display: flex; justify-content: space-between; margin-top: 20px;"> <span>AMC [23]</span> <span>9:00PM (30m)</span> <span>CC</span> </div> <div style="display: flex; justify-content: space-between; margin-top: 10px;"> <div style="border: 1px solid black; padding: 2px; width: 15%;">             GRID           </div> <div style="border: 1px solid black; padding: 2px; width: 15%;">             SORT           </div> <div style="border: 1px solid black; padding: 2px; width: 15%;">             SCHEDULE           </div> <div style="border: 1px solid black; padding: 2px; width: 15%;">             MESSAGES           </div> </div> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 10%;">SAT</th> <th style="width: 45%;">9:00PM</th> <th style="width: 45%;">9:30PM</th> </tr> </thead> <tbody> <tr> <td>LAST CHANNEL</td> <td colspan="2" style="background-color: #f0f0f0;">EARLY EDITION</td> </tr> <tr> <td>ABC</td> <td colspan="2" style="background-color: #f0f0f0;">MISS AMERICA PAGEANT</td> </tr> <tr> <td>FOX</td> <td colspan="2" style="background-color: #f0f0f0;">AMER. MOST WANTED</td> </tr> <tr> <td>CBS</td> <td colspan="2" style="background-color: #f0f0f0;">EARLY EDITION</td> </tr> <tr> <td>MTV</td> <td colspan="2" style="background-color: #f0f0f0;">SPICE GIRLS CONCERT TONIGHT</td> </tr> <tr> <td>UPN</td> <td colspan="2" style="background-color: #f0f0f0;">WALKING TALL</td> </tr> <tr> <td>PBS</td> <td colspan="2" style="background-color: #f0f0f0;">ON GOLDEN POND</td> </tr> <tr> <td>AMC</td> <td colspan="2" style="background-color: #f0f0f0;">REMEMBER... YOUNG PHILA...</td> </tr> <tr> <td>ESPN</td> <td colspan="2" style="background-color: #f0f0f0;">COLLEGE FOOTBALL</td> </tr> </tbody> </table>	SAT	9:00PM	9:30PM	LAST CHANNEL	EARLY EDITION		ABC	MISS AMERICA PAGEANT		FOX	AMER. MOST WANTED		CBS	EARLY EDITION		MTV	SPICE GIRLS CONCERT TONIGHT		UPN	WALKING TALL		PBS	ON GOLDEN POND		AMC	REMEMBER... YOUNG PHILA...		ESPN	COLLEGE FOOTBALL	
SAT	9:00PM	9:30PM																													
LAST CHANNEL	EARLY EDITION																														
ABC	MISS AMERICA PAGEANT																														
FOX	AMER. MOST WANTED																														
CBS	EARLY EDITION																														
MTV	SPICE GIRLS CONCERT TONIGHT																														
UPN	WALKING TALL																														
PBS	ON GOLDEN POND																														
AMC	REMEMBER... YOUNG PHILA...																														
ESPN	COLLEGE FOOTBALL																														
<b>AD WINDOW 1</b>  DISPLAYING PANEL AD	<div style="border: 1px solid black; height: 40px; width: 100%;"></div>																														
<b>AD WINDOW 2</b>  DISPLAYING PANEL AD	<div style="border: 1px solid black; height: 40px; width: 100%;"></div>																														

**FIG. 3**

**This Page Blank (uspto)**








10:03PM 		O  UNLOCK O																			
PIP WINDOW DISPLAYING REAL TIME VIDEO FOR LAST CHANNEL VIEWED		THE PICTURE IS LOCKED ON ABC, CHANNEL 13.																			
		<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="border: 1px solid black; padding: 2px;">  GRID         </div> <div style="border: 1px solid black; padding: 2px;">           SORT         </div> <div style="border: 1px solid black; padding: 2px;">           SCHEDULE         </div> <div style="border: 1px solid black; padding: 2px;">           MESSAGES         </div> </div>																			
		<div style="display: flex; justify-content: space-between;"> <div>SAT</div> <div>9:00PM</div> <div>9:30PM</div> </div>																			
		<table border="1"> <tr> <td>LAST CHANNEL</td> <td>EARLY EDITION</td> </tr> <tr> <td>ABC</td> <td>MISS AMERICA PAGEANT</td> </tr> <tr> <td>FOX</td> <td>AMER. MOST WANTED</td> </tr> <tr> <td>CBS</td> <td>EARLY EDITION</td> </tr> <tr> <td>MTV</td> <td>SPICE GIRLS CONCERT TONIGHT</td> </tr> <tr> <td>UPN</td> <td>WALKING TALL</td> </tr> <tr> <td>PBS</td> <td>ON GOLDEN POND</td> </tr> <tr> <td>AMC</td> <td>REMEMBER... YOUNG PHILA...</td> </tr> <tr> <td>ESPN</td> <td>COLLEGE FOOTBALL</td> </tr> </table>		LAST CHANNEL	EARLY EDITION	ABC	MISS AMERICA PAGEANT	FOX	AMER. MOST WANTED	CBS	EARLY EDITION	MTV	SPICE GIRLS CONCERT TONIGHT	UPN	WALKING TALL	PBS	ON GOLDEN POND	AMC	REMEMBER... YOUNG PHILA...	ESPN	COLLEGE FOOTBALL
LAST CHANNEL	EARLY EDITION																				
ABC	MISS AMERICA PAGEANT																				
FOX	AMER. MOST WANTED																				
CBS	EARLY EDITION																				
MTV	SPICE GIRLS CONCERT TONIGHT																				
UPN	WALKING TALL																				
PBS	ON GOLDEN POND																				
AMC	REMEMBER... YOUNG PHILA...																				
ESPN	COLLEGE FOOTBALL																				
AD WINDOW 1 DISPLAYING PANEL AD 																					
AD WINDOW 2 DISPLAYING PANEL AD 																					

FIG. 4B

**This Page Blank (uspto)**

<p><b>10:03PM</b></p> <p>PIP WINDOW</p> <p>DISPLAYING REAL TIME VIDEO FOR LAST CHANNEL VIEWED</p>	<div style="display: flex; justify-content: space-between; border-bottom: 1px solid black; margin-bottom: 10px;"> <span><input type="radio"/> CANCEL</span> <span><input type="radio"/> SCHEDULE</span> </div> <div style="margin-bottom: 10px;"> <p>"STAR TREK: VOYAGER" IS SET TO BE WATCHED ONCE.</p> </div> <div style="display: flex; justify-content: space-around; border-bottom: 1px solid black; margin-bottom: 10px;"> <div style="border: 1px solid black; padding: 2px; text-align: center;">GRID</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">SORT</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">SCHEDULE</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">MESSAGES</div> </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 45%; text-align: center;">10:30PM</th> <th style="width: 45%; text-align: center;">11:00PM</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">SAT</td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">LAST CHANNEL</td> <td style="text-align: center;">WALKER, TEX...</td> <td style="text-align: center;">NEWS</td> </tr> <tr> <td style="text-align: center;">ABC</td> <td style="text-align: center;">PRIME TIME LI...</td> <td style="text-align: center;">NEWS</td> </tr> <tr> <td style="text-align: center;">FOX</td> <td style="text-align: center;">NEWS</td> <td style="text-align: center;">MAD TV</td> </tr> <tr> <td style="text-align: center;">CBS</td> <td style="text-align: center;">WALKER, TEX...</td> <td style="text-align: center;">NEWS</td> </tr> <tr> <td style="text-align: center;">MTV</td> <td colspan="2" style="text-align: center;">SPICE GIRLS CONCERT TONIGHT</td> </tr> <tr> <td style="text-align: center;">UPN</td> <td style="text-align: center;">NEWS</td> <td style="text-align: center;">STAR TREK: V...</td> </tr> <tr> <td style="text-align: center;">PBS</td> <td colspan="2" style="text-align: center;">JUST UP ROAD BY BOAT</td> </tr> <tr> <td style="text-align: center;">AMC</td> <td colspan="2" style="text-align: center;">YOUNG PHILADELPHIANS</td> </tr> <tr> <td style="text-align: center;">ESPN</td> <td colspan="2" style="text-align: center;">COLLEGE FOOTBALL</td> </tr> </tbody> </table>		10:30PM	11:00PM	SAT			LAST CHANNEL	WALKER, TEX...	NEWS	ABC	PRIME TIME LI...	NEWS	FOX	NEWS	MAD TV	CBS	WALKER, TEX...	NEWS	MTV	SPICE GIRLS CONCERT TONIGHT		UPN	NEWS	STAR TREK: V...	PBS	JUST UP ROAD BY BOAT		AMC	YOUNG PHILADELPHIANS		ESPN	COLLEGE FOOTBALL	
	10:30PM	11:00PM																																
SAT																																		
LAST CHANNEL	WALKER, TEX...	NEWS																																
ABC	PRIME TIME LI...	NEWS																																
FOX	NEWS	MAD TV																																
CBS	WALKER, TEX...	NEWS																																
MTV	SPICE GIRLS CONCERT TONIGHT																																	
UPN	NEWS	STAR TREK: V...																																
PBS	JUST UP ROAD BY BOAT																																	
AMC	YOUNG PHILADELPHIANS																																	
ESPN	COLLEGE FOOTBALL																																	
<p>AD WINDOW 1</p> <p>DISPLAYING PANEL AD</p>	<p>AD WINDOW 2</p> <p>DISPLAYING PANEL AD</p>																																	

SUBSTITUTE SHEET (RULE 26)

FIG.5






<p>10:03PM </p> <p>PIP WINDOW</p> <p>DISPLAYING REAL TIME VIDEO FOR LAST CHANNEL VIEWED</p>	<p>O REMOVE O CHANGE</p> <p>WALKER, TEXAS RANGER: STEROIDS KILL HIGH-SCHOOL ATHLETES.</p> <p>CBS [8] 10:00PM (1h)  CC</p> <p> <input type="text"/> GRID             <input type="text"/> SORT             <input checked="" type="text"/> SCHEDULE             <input type="text"/> MESSAGES              </p>																									
<p>AD WINDOW 1</p> <p>DISPLAYING PANEL AD </p>	<p>WATCH/RECORD SCHEDULE</p> <table border="1"> <thead> <tr> <th></th> <th></th> <th></th> <th></th> <th>FREQ</th> </tr> </thead> <tbody> <tr> <td>9/13</td> <td>10:00PM</td> <td>WALKER, TEXAS RANGER</td> <td>WEEKLY</td> <td></td> </tr> <tr> <td>9/13</td> <td>11:00PM</td> <td>STAR TREK VOYAGER</td> <td>WEEKLY</td> <td></td> </tr> <tr> <td>9/14</td> <td>1:35PM</td> <td>THE CAPE</td> <td>ONCE</td> <td></td> </tr> <tr> <td>9/15</td> <td>8:00PM</td> <td>GROUNDHOG DAY</td> <td>ONCE</td> <td></td> </tr> </tbody> </table>					FREQ	9/13	10:00PM	WALKER, TEXAS RANGER	WEEKLY		9/13	11:00PM	STAR TREK VOYAGER	WEEKLY		9/14	1:35PM	THE CAPE	ONCE		9/15	8:00PM	GROUNDHOG DAY	ONCE	
				FREQ																						
9/13	10:00PM	WALKER, TEXAS RANGER	WEEKLY																							
9/13	11:00PM	STAR TREK VOYAGER	WEEKLY																							
9/14	1:35PM	THE CAPE	ONCE																							
9/15	8:00PM	GROUNDHOG DAY	ONCE																							
<p>AD WINDOW 2</p> <p>DISPLAYING PANEL AD </p>																										

FIG.6




FIG. 7

<p>10:03PM</p> <p>PIP WINDOW</p> <p>DISPLAYING REAL TIME VIDEO FOR LAST CHANNEL VIEWED</p>	<div style="display: flex; justify-content: space-between;"> <span>O WATCH</span> <span>O RECORD</span> </div> <div style="margin-top: 10px;"> <p><b>ON GOLDEN POND: COMEDY-DRAMA 1981***</b>              KATHARINE HEPBURN, PG</p> <p>PBS [10]      8:00PM (2h 30m) <span style="float: right;">1</span></p> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <span>GRID</span> <span></span> <span>SCHEDULE</span> <span>MESSAGES</span> </div> <p style="text-align: center; margin-top: 10px;">MOVIES: ALL      TUES, SEPT 23</p> <table border="1" style="width: 100%; border-collapse: collapse; text-align: center;"> <tr> <td style="width: 10%;">PBS</td> <td style="width: 50%;">ON GOLDEN POND</td> <td style="width: 40%;">8:00PM</td> </tr> <tr> <td>TNT</td> <td>THE SEVENTH SIGN</td> <td>8:00PM</td> </tr> <tr> <td>USA</td> <td>THE ACCUSED</td> <td>8:00PM</td> </tr> <tr> <td>AMC</td> <td>YOUNG PHILADELPHIA</td> <td>9:30PM</td> </tr> <tr> <td>TNT</td> <td>ALIEN 3</td> <td>10:00PM</td> </tr> <tr> <td>USA</td> <td>CLOVER</td> <td>10:00PM</td> </tr> <tr> <td>AMC</td> <td>FOXFIRE</td> <td>11:00PM</td> </tr> <tr> <td>ABC</td> <td>AND THEN THERE...</td> <td>4:00PM</td> </tr> <tr> <td>ABC</td> <td>FALLING FROM SKY...</td> <td>9:00PM</td> </tr> </table> </div>	PBS	ON GOLDEN POND	8:00PM	TNT	THE SEVENTH SIGN	8:00PM	USA	THE ACCUSED	8:00PM	AMC	YOUNG PHILADELPHIA	9:30PM	TNT	ALIEN 3	10:00PM	USA	CLOVER	10:00PM	AMC	FOXFIRE	11:00PM	ABC	AND THEN THERE...	4:00PM	ABC	FALLING FROM SKY...	9:00PM
PBS	ON GOLDEN POND	8:00PM																										
TNT	THE SEVENTH SIGN	8:00PM																										
USA	THE ACCUSED	8:00PM																										
AMC	YOUNG PHILADELPHIA	9:30PM																										
TNT	ALIEN 3	10:00PM																										
USA	CLOVER	10:00PM																										
AMC	FOXFIRE	11:00PM																										
ABC	AND THEN THERE...	4:00PM																										
ABC	FALLING FROM SKY...	9:00PM																										
<p>AD WINDOW 1</p> <p>DISPLAYING PANEL AD</p>	<div style="text-align: right;">1</div>																											
<p>AD WINDOW 2</p> <p>DISPLAYING PANEL AD</p>	<div style="text-align: right;">1</div>																											

**FIG.8**

O WATCH		O RECORD
10:03PM	MISS AMERICA PAGEANT: WOMEN FROM 50 STATES VIE FOR THE CROWN IN ATLANTIC CITY. SPECIAL	ABC [13] 9:00PM (1h) CC
PIP WINDOW	PlusCode: 9990	
DISPLAYING REAL TIME VIDEO FOR LAST CHANNEL VIEWED	NEXT ON ABC [13]	
AD WINDOW 1	10:00PM PRIME TIME LIVE	
DISPLAYING PANEL AD	11:00PM NEWS	
	11:30PM NIGHTLINE	
	12:05AM PAID PROGRAMMING	
	12:35AM PATRIOTS PREVIEW	
	1:05AM KWIK WITZ	
	1:35AM THE CAPE	
	2:35AM FLIPPER	
	3:35AM HEADLINE NEWS	
	6:00AM PREVENTION BODYSENSE	
	6:30AM REBECCA'S GARDEN	
	7:00AM HOUR OF POWER	
	8:00AM GMA SUNDAY	
AD WINDOW 2		
DISPLAYING PANEL AD		

FIG. 9




FIG. 10A






FIG. 10B

## INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US98/15093

## A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) H04N 5/50, 5/445

US CL 348/731, 734, 569

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. 348/731, 569, 563, 564, 565, 734, 906, 7, 10, 12, 13; 455/6.2, 6.3, 5.1, 5.2

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y,P	US 5,734,853 A (HENDRICKS ET AL) 31 MARCH 1998, COL. 1 & 2, AND FIG. 1.	1-25
Y	US 5,585,866 A (MILLER ET AL) 17 DECEMBER 1996, FIG. 1.	19-25
X	US 5,650,831 A (FARWELL) 22 JULY 1997, FIGS. 3-5, 15	17-25



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents:	*T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
*A* document defining the general state of the art which is not considered to be of particular relevance	*X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
*E* earlier document published on or after the international filing date	*Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
*L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	*g* document member of the same patent family
*O* document referring to an oral disclosure, use, exhibition or other means	
*P* document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

13 OCTOBER 1998

Date of mailing of the international search report

01 DEC 1998

Name and mailing address of the ISA/US  
Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703) 305-5899

Authorized officer

WESNER SAJOUS

Telephone No. (703) 305-5857

Form PCT/ISA/210 (second sheet)(July 1992)\*